

www.phoronix-test-suite.com

babysched

Intel Core i7-4600U testing with a LENOVO 20A7CTO1WW (GRET40WW 1.17 BIOS) and Intel HD 4400 2GB on Ubuntu 20.04 via the Phoronix Test Suite.

Automated Executive Summary

baby524be had the most wins, coming in first place for 37% of the tests.

Test Systems:

baby72a20 #1

baby72a20 #2

Processor: Intel Core i7-4600U @ 3.30GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20A7CTO1WW (GRET40WW 1.17 BIOS), Chipset: Intel Haswell-ULT DRAM, Memory: 8GB, Disk: 128GB TOSHIBA THNSNJ12, Graphics: Intel HD 4400 2GB (1100MHz), Audio: Intel Haswell-ULT HD Audio, Network: Intel I218-LM + Intel 7260

OS: Ubuntu 20.04, Kernel: 5.14.9-Baby+ (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.5 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 2560x1440

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_cpufreq performance - CPU Microcode: 0x26 - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Vulnerable IBPB: disabled STIBP: disabled + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

baby524be

Processor: Intel Core i7-4600U @ 3.30GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20A7CTO1WW (GRET40WW 1.17 BIOS), Chipset: Intel Haswell-ULT DRAM, Memory: 8GB, Disk: 128GB TOSHIBA THNSNJ12, Graphics: Intel HD 4400 2GB (1100MHz), Audio: Intel Haswell-ULT HD Audio, Network: Intel I218-LM + Intel 7260

OS: Ubuntu 20.04, Kernel: 5.14.9-Baby-dev+ (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.5 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 2560x1440

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_cpufreq performance - CPU Microcode: 0x26 - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Vulnerable IBPB: disabled STIBP: disabled + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

5.11.0-37-generic

Processor: Intel Core i7-4600U @ 3.30GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20A7CTO1WW (GRET40WW 1.17 BIOS), Chipset: Intel Haswell-ULT DRAM, Memory: 8GB, Disk: 128GB TOSHIBA THNSNJ12, Graphics: Intel HD 4400 2GB (1100MHz), Audio: Intel Haswell-ULT HD Audio, Network: Intel I218-LM + Intel 7260

OS: Ubuntu 20.04, Kernel: 5.11.0-37-generic (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.5 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 2560x1440

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_cpufreq ondemand - CPU Microcode: 0x26 - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

5.14.6-xanmod1-cacule

Processor: Intel Core i7-4600U @ 3.30GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20A7CTO1WW (GRET40WW 1.17 BIOS), Chipset: Intel Haswell-ULT DRAM, Memory: 8GB, Disk: 128GB TOSHIBA THNSNJ12, Graphics: Intel HD 4400 2GB (1100MHz), Audio: Intel Haswell-ULT HD Audio, Network: Intel I218-LM + Intel 7260

OS: Ubuntu 20.04, Kernel: 5.14.6-xanmod1-cacule (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.5 Mesa


babysched

21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 2560x1440


Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_cpufreq performance - CPU Microcode: 0x26 - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Vulnerable IBPB: disabled STIBP: disabled + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

	baby72a20 #1	baby72a20 #2	baby524be	5.11.0-37-generic	5.14.6-xanmod1-cacule
GraphicsMagick - Swirl (Iterations/min)	48		**49**	**47**	**49**
Normalized	97.96%		100%	95.92%	100%
Standard Deviation	3%		2.4%	2.8%	2.4%
GraphicsMagick - Sharpen (Iterations/min)	**16**		**16**	**16**	**17**
Normalized	94.12%		94.12%	94.12%	100%
Standard Deviation			2.3%		
FLAC Audio Encoding - WAV To FLAC (sec)	**25.214**		24.459	24.203	**23.562**
Normalized	93.45%		96.33%	97.35%	100%
Standard Deviation	7.6%		2.1%	2.3%	0.9%
GraphicsMagick - Rotate (Iterations/min)	604		**617**	**586**	593
Normalized	97.89%		100%	94.98%	96.11%
Standard Deviation	0.3%		1.4%	2.4%	1.5%
GraphicsMagick - Enhanced (Iterations/min)	20		20	20	20
Standard Deviation					2.5%
GraphicsMagick - Noise-Gaussian (Iterations/min)	35		35	35	35
Standard Deviation			1.6%	1.6%	
GraphicsMagick - Resizing (Iterations/min)	**120**		**122**	121	**122**
Normalized	98.36%		100%	99.18%	100%
Standard Deviation	1.7%		1.2%	1.3%	1.2%
GraphicsMagick - HWB Color Space (Iterations/min)	**199**		**199**	**195**	196
Normalized	100%		100%	97.99%	98.49%
Standard Deviation	1%		1.3%	1.4%	1.2%


babysched


GraphicsMagick 1.3.33
Operation: Swirl
Iterations Per Minute, More Is Better
baby72a20 #1
SE +/- 0.36, N = 15
48
baby524be
SE +/- 0.67, N = 3
49
5.11.0-37-generic
SE +/- 0.34, N = 15
47
5.14.6-xanmod1-cacule
SE +/- 0.67, N = 3
49
11
22
33
44
55
1. (CC) gcc options: -fopenmp -O2 -pthread -ljpeg -lXext -lX11 -lz -lm -lpthread
GraphicsMagick 1.3.33
Operation: Sharpen
Iterations Per Minute, More Is Better
baby72a20 #1
16
baby524be
SE +/- 0.14, N = 7
16
5.11.0-37-generic
16
5.14.6-xanmod1-cacule
17
4
8
12
16
20
1. (CC) gcc options: -fopenmp -O2 -pthread -ljpeg -lXext -lX11 -lz -lm -lpthread


babysched


FLAC Audio Encoding 1.3.3
WAV To FLAC
Seconds, Fewer Is Better
baby72a20 #1
SE +/- 0.43, N = 20
25.21
baby524be
SE +/- 0.23, N = 5
24.46
5.11.0-37-generic
SE +/- 0.24, N = 5
24.20
5.14.6-xanmod1-cacule
SE +/- 0.09, N = 5
23.56
6
12
18
24
30
1. (CXX) g++ options: -fvisibility=hidden -lm
GraphicsMagick 1.3.33
Operation: Rotate
Iterations Per Minute, More Is Better
baby72a20 #1
SE +/- 1.15, N = 3
604
baby524be
SE +/- 5.00, N = 3
617
5.11.0-37-generic
SE +/- 6.18, N = 5
586
5.14.6-xanmod1-cacule
SE +/- 5.04, N = 3
593
130
260
390
520
650
1. (CC) gcc options: -fopenmp -O2 -pthread -ljpeg -lXext -lX11 -lz -lm -lpthread

babysched


GraphicsMagick 1.3.33
Operation: Enhanced
Iterations Per Minute, More Is Better
baby72a20 #1
baby524be
5.11.0-37-generic
5.14.6-xanmod1-cacule
SE +/- 0.25, N = 4
20
20
20
20
5
10
15
20
25
1. (CC) gcc options: -fopenmp -O2 -pthread -ljpeg -lXext -lX11 -lz -lm -lpthread
GraphicsMagick 1.3.33
Operation: Noise-Gaussian
Iterations Per Minute, More Is Better
baby72a20 #1
baby524be
SE +/- 0.33, N = 3
5.11.0-37-generic
SE +/- 0.33, N = 3
5.14.6-xanmod1-cacule
35
35
35
35
8
16
24
32
40
1. (CC) gcc options: -fopenmp -O2 -pthread -ljpeg -lXext -lX11 -lz -lm -lpthread

babysched



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 10:18.