

www.phoronix-test-suite.com

test-05-05-2022-06

AMD A9-9420 RADEON R5 5 COMPUTE CORES 2C+3G testing with a HP 8331 v27.35 (F.51 BIOS) and AMD Radeon R2/R3/R4/R5 2GB on Ubuntu 22.04 via the Phoronix Test Suite.

Test Systems:

Realtek RTL8111/8168/8411 + Realtek RTL8723DE 802.11b/g/n

Processor: AMD A9-9420 RADEON R5 5 COMPUTE CORES 2C+3G @ 3.00GHz (2 Cores), Motherboard: HP 8331 v27.35 (F.51 BIOS), Chipset: AMD 15h, Memory: 1 x 8 GB DDR-1866MT/s Empty, Disk: 480GB KINGSTON SA400S3, Graphics: AMD Radeon R2/R3/R4/R5 2GB, Audio: AMD Device 15b3, Network: Realtek RTL8111/8168/8411 + Realtek RTL8723DE 802.11b/g/n


OS: Ubuntu 22.04, Kernel: 5.15.0-27-generic (x86_64), Desktop: GNOME Shell 42.0, Display Server: X Server, OpenGL: 4.5 Mesa 22.0.1 (LLVM 13.0.1 DRM 3.42), Vulkan: 1.2.204, Compiler: GCC 11.2.0, File-System: ext4, Screen Resolution: 1366x768

Kernel Notes: Transparent Huge Pages: madvise
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0x6006705

test-05-05-2022-06

Python Notes: Python 3.10.4
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

	Realtek RTL8111/8168/8411 + Realtek RTL8723DE 802.11b/g/n
speedtest-cli - I.D.S (Mbit/s)	33.51
Standard Deviation	16.2%
speedtest-cli - I.U.S (Mbit/s)	18.08
Standard Deviation	8%
speedtest-cli - Internet Latency (ms)	41.384
Standard Deviation	39.6%



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 01:44.