

www.phoronix-test-suite.com

testdelete

Intel Core i7-6600U testing with a LENOVO 20FRS0PP00 (N1FET44W 1.18 BIOS) and Intel HD 520 SKL GT2 3GB on Arch Linux via the Phoronix Test Suite.

Test Systems:

Intel HD 520 SKL GT2

01

Processor: Intel Core i7-6600U @ 3.40GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20FRS0PP00 (N1FET44W 1.18 BIOS), Chipset: Intel Xeon E3-1200 v5/E3-1500, Memory: 16GB, Disk: 512GB Toshiba THNSN5512GPU7, Graphics: Intel HD 520 SKL GT2 3GB (1050MHz), Audio: Conexant CX20753/4, Network: Intel I219-LM + Intel 8260

OS: Arch Linux, Kernel: 5.17.5-arch1-1 (x86_64), Desktop: KDE Plasma 5.24.5, Display Server: X Server 1.21.1.3, OpenGL: 4.6 Mesa 22.0.3, Compiler: GCC 11.2.0 + Clang 13.0.1, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Processor Notes: Scaling Governor: intel_pstate powersave (EPP: balance_performance) - CPU Microcode: 0x9e

testdelete

Python Notes: Python 3.10.4
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Vulnerable: Clear buffers attempted no microcode; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Vulnerable + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines STIBP: disabled RSB filling + srbds: Vulnerable: No microcode + tsx_async_abort: Vulnerable: Clear buffers attempted no microcode; SMT vulnerable

	Intel HD 520 SKL GT2	01

testdelete

This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 21:21.