

www.phoronix-test-suite.com

Samsung 980 NVMe SSD Linux Performance

Testing ZFS mirror with 2x KINGSTON SA2000M81000G

Automated Executive Summary

WD_BLACK SN850 1TB had the most wins, coming in first place for 75% of the tests.

Based on the geometric mean of all complete results, the fastest (WD_BLACK SN850 1TB) was 4.782x the speed of the slowest (Samsung 970 EVO Plus 250GB). Kingston Fury Renegade was 0.747x the speed of WD_BLACK SN850 1TB, Sabrent Rocket 4.0 1TB was 0.823x the speed of Kingston Fury Renegade, WD_BLACK SN750 500GB was 0.981x the speed of Sabrent Rocket 4.0 1TB, ZFSmirror2xSA2000M81000G was 0.985x the speed of WD_BLACK SN750 500GB, Corsair Force MP600 1TB was 0.877x the speed of ZFSmirror2xSA2000M81000G, Samsung 980 1TB was 0.832x the speed of Corsair Force MP600 1TB, Samsung 970 EVO 500GB was 0.568x the speed of Samsung 980 1TB, Samsung 970 EVO Plus 250GB was 0.848x the speed of Samsung 970 EVO 500GB.

Test Systems:

Corsair Force MP600 1TB

Processor: AMD Ryzen 9 5900X 12-Core @ 3.70GHz (12 Cores / 24 Threads), Motherboard: ASUS ROG CROSSHAIR VIII HERO (3202 BIOS), Chipset: AMD Starship/Matisse, Memory: 16GB, Disk: 1000GB Corsair Force MP600, Graphics: Sapphire AMD Radeon RX 5600 OEM/5600 XT / 5700/5700 6GB (1780/875MHz), Audio: AMD Navi 10 HDMI Audio, Monitor: ASUS VP28U, Network: Realtek RTL8125 2.5GbE + Intel I211

OS: Ubuntu 20.10, Kernel: 5.12.0-051200rc2-generic (x86_64) 20210306, Desktop: GNOME Shell 3.38.1, Display Server: X Server 1.20.9, OpenGL: 4.6 Mesa 20.2.1 (LLVM 11.0.0), Vulkan: 1.2.131, Compiler: GCC 10.2.0, File-System: ext4, Screen Resolution: 3840x2160

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-gcn/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / relatime,rw / Block Size: 4096
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa201009
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Sabrent Rocket 4.0 1TB

Processor: AMD Ryzen 9 5900X 12-Core @ 3.70GHz (12 Cores / 24 Threads), Motherboard: ASUS ROG CROSSHAIR VIII HERO (3202 BIOS), Chipset: AMD Starship/Matisse, Memory: 16GB, Disk: 1000GB Sabrent Rocket 4.0 1TB, Graphics: Sapphire AMD Radeon RX 5600 OEM/5600 XT / 5700/5700 6GB (1780/875MHz), Audio: AMD Navi 10 HDMI Audio, Monitor: ASUS VP28U, Network: Realtek RTL8125 2.5GbE + Intel I211

OS: Ubuntu 20.10, Kernel: 5.12.0-051200rc2-generic (x86_64) 20210306, Desktop: GNOME Shell 3.38.1, Display Server: X Server 1.20.9, OpenGL: 4.6 Mesa 20.2.1 (LLVM 11.0.0), Vulkan: 1.2.131, Compiler: GCC 10.2.0, File-System: ext4, Screen Resolution: 3840x2160

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-gcn/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / relatime,rw / Block Size: 4096
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa201009
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Samsung 970 EVO 500GB

Processor: AMD Ryzen 9 5900X 12-Core @ 3.70GHz (12 Cores / 24 Threads), Motherboard: ASUS ROG CROSSHAIR VIII HERO (3202 BIOS), Chipset: AMD Starship/Matisse, Memory: 16GB, Disk: Samsung SSD 970 EVO 500GB, Graphics: Sapphire AMD Radeon RX 5600 OEM/5600 XT / 5700/5700 6GB (1780/875MHz), Audio: AMD Navi 10 HDMI Audio, Monitor: ASUS VP28U, Network: Realtek RTL8125 2.5GbE + Intel I211

OS: Ubuntu 20.10, Kernel: 5.12.0-051200rc2-generic (x86_64) 20210306, Desktop: GNOME Shell 3.38.1, Display Server: X Server 1.20.9, OpenGL: 4.6 Mesa 20.2.1 (LLVM 11.0.0), Vulkan: 1.2.131, Compiler: GCC 10.2.0, File-System: ext4, Screen Resolution: 3840x2160

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-gcn/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / relatime,rw / Block Size: 4096
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa201009
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Samsung 970 EVO Plus 250GB

Processor: AMD Ryzen 9 5900X 12-Core @ 3.70GHz (12 Cores / 24 Threads), Motherboard: ASUS ROG CROSSHAIR VIII HERO (3202 BIOS), Chipset: AMD Starship/Matisse, Memory: 16GB, Disk: Samsung SSD 970 EVO Plus 250GB, Graphics: Sapphire AMD Radeon RX 5600 OEM/5600 XT / 5700/5700 6GB (1780/875MHz), Audio: AMD Navi 10 HDMI Audio, Monitor: ASUS VP28U, Network: Realtek RTL8125 2.5GbE + Intel I211

OS: Ubuntu 20.10, Kernel: 5.12.0-051200rc2-generic (x86_64) 20210306, Desktop: GNOME Shell 3.38.1, Display Server: X Server 1.20.9, OpenGL: 4.6 Mesa 20.2.1 (LLVM 11.0.0), Vulkan: 1.2.131, Compiler: GCC 10.2.0, File-System: ext4, Screen Resolution: 3840x2160

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-gcn/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / relatime,rw / Block Size: 4096
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa201009
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Samsung 980 1TB

Processor: AMD Ryzen 9 5900X 12-Core @ 3.70GHz (12 Cores / 24 Threads), Motherboard: ASUS ROG CROSSHAIR VIII HERO (3202 BIOS), Chipset: AMD Starship/Matisse, Memory: 16GB, Disk: 1000GB Samsung SSD 980 1TB, Graphics: Sapphire AMD Radeon RX 5600 OEM/5600 XT / 5700/5700 6GB (1780/875MHz), Audio: AMD Navi 10 HDMI Audio, Monitor: ASUS VP28U, Network: Realtek RTL8125 2.5GbE + Intel I211

OS: Ubuntu 20.10, Kernel: 5.12.0-051200rc2-generic (x86_64) 20210306, Desktop: GNOME Shell 3.38.1, Display Server: X Server 1.20.9, OpenGL: 4.6 Mesa 20.2.1 (LLVM 11.0.0), Vulkan: 1.2.131, Compiler: GCC 10.2.0, File-System: ext4, Screen Resolution: 3840x2160

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-gcn/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / relatime,rw / Block Size: 4096
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa201009
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbds: Not affected + tsx_async_abort: Not affected

WD_BLACK SN750 500GB

Processor: AMD Ryzen 9 5900X 12-Core @ 3.70GHz (12 Cores / 24 Threads), Motherboard: ASUS ROG CROSSHAIR VIII HERO (3202 BIOS), Chipset: AMD Starship/Matisse, Memory: 16GB, Disk: 500GB Western Digital WDS500G3X0C-00SJG0, Graphics: Sapphire AMD Radeon RX 5600 OEM/5600 XT / 5700/5700 6GB (1780/875MHz), Audio: AMD Navi 10 HDMI Audio, Monitor: ASUS VP28U, Network: Realtek RTL8125 2.5GbE + Intel I211

OS: Ubuntu 20.10, Kernel: 5.12.0-051200rc2-generic (x86_64) 20210306, Desktop: GNOME Shell 3.38.1, Display Server: X Server 1.20.9, OpenGL: 4.6 Mesa 20.2.1 (LLVM 11.0.0), Vulkan: 1.2.131, Compiler: GCC 10.2.0, File-System: ext4, Screen Resolution: 3840x2160

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-gcn/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / relatime,rw / Block Size: 4096
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa201009
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbds: Not affected + tsx_async_abort: Not affected

WD_BLACK SN850 1TB

Processor: AMD Ryzen 9 5900X 12-Core @ 3.70GHz (12 Cores / 24 Threads), Motherboard: ASUS ROG CROSSHAIR VIII HERO (3202 BIOS), Chipset: AMD Starship/Matisse, Memory: 16GB, Disk: 1000GB Western Digital WD_BLACK SN850 1TB, Graphics: Sapphire AMD Radeon RX 5600 OEM/5600 XT / 5700/5700 6GB (1780/875MHz), Audio: AMD Navi 10 HDMI Audio, Monitor: ASUS VP28U, Network: Realtek RTL8125 2.5GbE + Intel I211

OS: Ubuntu 20.10, Kernel: 5.12.0-051200rc2-generic (x86_64) 20210306, Desktop: GNOME Shell 3.38.1, Display Server: X Server 1.20.9, OpenGL: 4.6 Mesa 20.2.1 (LLVM 11.0.0), Vulkan: 1.2.131, Compiler: GCC 10.2.0, File-System: ext4, Screen Resolution: 3840x2160

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-JvwpWM/gcc-10-10.2.0/debian/tmp-gcn/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / relatime,rw / Block Size: 4096
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa201009
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Kingston Fury Renegade

Processor: AMD Ryzen 9 3950X 16-Core @ 3.50GHz (16 Cores / 32 Threads), Motherboard: ASRockRack X570D4U-2L2T (L1.28a BIOS), Chipset: AMD Starship/Matisse, Memory: 128GB, Disk: 2 x 2000GB KINGSTON SFYRD2000G, Graphics: ASPEED, Audio: AMD Starship/Matisse, Network: 2 x Intel 10G X550T + 2 x Intel I210

OS: Ubuntu 20.04, Kernel: 5.13.0-28-generic (x86_64), Vulkan: 1.1.182, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1024x768

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686

--with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Disk Notes: NONE / relatime,rw,stripe=256 / Block Size: 4096
Processor Notes: Scaling Governor: acpi-cpufreq ondemand (Boost: Enabled) - CPU Microcode: 0x8701021
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional STIBP: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

ZFSmirror2xSA2000M81000G

Processor: AMD Ryzen 7 5700G @ 3.80GHz (8 Cores / 16 Threads), Motherboard: ASUS ROG STRIX B550-F GAMING (2423 BIOS), Memory: 2 x 16 GB DDR4-3600MT/s F4-3600C16-16GVKC, Disk: 2 x 1000GB KINGSTON SA2000M81000G, Graphics: AMD RENOIR 512MB (2000/1800MHz), Monitor: BenQ EW3270U

OS: Debian 11, Kernel: 5.16.0-0.bpo.4-amd64 (x86_64), Desktop: KDE Plasma 5.20.5, Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 20.3.5 (LLVM 11.0.1), Vulkan: 1.2.145, Compiler: GCC 10.2.1 20210110, File-System: zfs, Screen Resolution: 3840x2160


Kernel Notes: spl.spl_hostid=0x5ccff1f1 - Transparent Huge Pages: always
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-link-mutex --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-Km9U7s/gcc-10-10.2.1/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-Km9U7s/gcc-10-10.2.1/debian/tmp-gcn/usr, hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-build-config=bootstrap-lto-lean --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xa50000c
Disk Scheduler Notes: NONE
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbds: Not affected + tsx_async_abort: Not affected

	Corsair Force MP600 1TB	Sabrent Rocket 4.0 1TB	Samsung 970 EVO 500GB	Samsung 970 EVO Plus 250GB	Samsung 980 1TB	WD_BLACK SN750 500GB	WD_BLACK SN850 1TB	Kingston Fury Renegade	ZFSmirror2xSA2000M81000G
Flexible IO Tester - Rand Read - IO_uring - No - Yes - 4KB (IOPS)	478667	475000	256333	**142000**	481667	387667	**768000**	534667	187067
Normalized	62.33%	61.85%	33.38%	18.49%	62.72%	50.48%	100%	69.62%	24.36%
Standard Deviation	0.7%	0.7%	0.2%		1.3%	0.3%	0.3%	1.2%	2.6%
Flexible IO Tester - Seq Read - IO_uring - No - Yes - 2MB	4690	4493	3461	3431	3436	**3268**	6362		**6812**
Normalized	68.85%	65.96%	50.81%	50.37%	50.44%	47.97%	93.39%		100%
Standard Deviation	1.8%	6.2%		0.5%	0.1%	0.5%	1.2%		0.8%
Flexible IO Tester - Seq Write - IO_uring - No - Yes - 2MB	4088	3736	2404	**2306**	2750	2593	**5075**		4373
Normalized	80.55%	73.62%	47.37%	45.44%	54.19%	51.09%	100%		86.17%
Standard Deviation	0.1%	15.8%	0%	0%	0.4%	0.1%	1.7%		0.5%


Samsung 980 NVMe SSD Linux Performance

FS-Mark - 1.F.1.S (Files/s)	721.6	718.7	**261.7**	279.0	564.1	836.2	**1038**	719.5	650.7
Normalized	69.51%	69.23%	25.21%	26.88%	54.34%	80.55%	100%	69.31%	62.68%
Standard Deviation	0.4%	0.5%	0%	0.4%	0.4%	0.6%	0.2%	1.6%	16.4%
FS-Mark - 5.F.1.S.4.T (Files/s)	1333	1289	286.0	**232.1**	1089	751.6	**2473**	1612	716.7
Normalized	53.9%	52.12%	11.57%	9.39%	44.03%	30.39%	100%	65.17%	28.98%
Standard Deviation	1.2%	1.4%	37.3%	7.2%	0.3%	2.5%	0.8%	0.2%	0.3%
FS-Mark - 4.F.3.S.D.1.S (Files/s)	721.2	720.9	219.1	**165.2**	565.9	543.4	**1016**	726.8	654.4
Normalized	70.97%	70.94%	21.56%	16.26%	55.69%	53.47%	100%	71.52%	64.4%
Standard Deviation	0.6%	1%	22.1%	15.1%	0.2%	19.4%	0.6%	0.6%	8.4%
PostgreSQL pgbench - 1000 - 1 - Read Write (TPS)	**280**	776	311	345	316	1830	**2156**	1710	1251
Normalized	12.99%	35.99%	14.42%	16%	14.66%	84.88%	100%	79.31%	58.02%
Standard Deviation	10.9%	32.5%	45.6%	0.4%	13.8%	2.4%	0.5%	0.8%	6.3%
IOR - 2MB (MB/s)	1503	1524	1192	1109	**877.93**	1383	1608	1567	**4296**
Normalized	34.98%	35.47%	27.75%	25.81%	20.43%	32.19%	37.43%	36.48%	100%
Standard Deviation	4.1%	1.3%	0.3%	2.5%	18.6%	1.2%	3.9%	0.1%	0.3%
Flexible IO Tester - Rand Read - IO_uring - No - Yes - 4KB (MB/s)								**2090**	**731**
Normalized								100%	34.98%
Standard Deviation								1.2%	2.5%
Flexible IO Tester - Seq Read - IO_uring - No - Yes - 2MB (IOPS)								**6420**	**3402**
Normalized								100%	52.99%
Standard Deviation									0.8%
Flexible IO Tester - Seq Write - IO_uring - No - Yes - 2MB (IOPS)								**5583**	**2183**
Normalized								100%	39.1%
Standard Deviation								1.8%	0.5%
PostgreSQL pgbench - 1000 - 1 - Read Write - Average Latency (ms)								**0.585**	**0.803**
Normalized								100%	72.85%
Standard Deviation								0.9%	7.3%


Samsung 980 NVMe SSD Linux Performance




Samsung 980 NVMe SSD Linux Performance




Samsung 980 NVMe SSD Linux Performance




Samsung 980 NVMe SSD Linux Performance




Samsung 980 NVMe SSD Linux Performance




Samsung 980 NVMe SSD Linux Performance




Samsung 980 NVMe SSD Linux Performance




Samsung 980 NVMe SSD Linux Performance



Samsung 980 NVMe SSD Linux Performance



These geometric means are based upon test groupings / test suites for this result file.



Geometric mean based upon tests: pts/fs-mark and pts/fio

This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 08:19.