

www.phoronix-test-suite.com

"Intel / AMD Large Ubuntu Linux CPU Benchmark Comparison"

Intel Core i5-3570K testing with a MSI B75MA-S01 (MS-7798) v4.0 (V1.4B7 BIOS) and llvmpipe on Ubuntu 20.04 via the Phoronix Test Suite.

Automated Executive Summary

Core i9 7980XE had the most wins, coming in first place for 36% of the tests.

Based on the geometric mean of all complete results, the fastest (Core i7 8700K) was 6.001x the speed of the slowest (AMD E-350).

The results with the greatest spread from best to worst included:

PolyBench-C (Test: 3 Matrix Multiplications) at 442.859x
PolyBench-C (Test: Covariance Computation) at 320.917x
PolyBench-C (Test: Correlation Computation) at 312.657x
Rodinia (Test: OpenMP LavaMD) at 115.366x
OpenSSL (RSA 4096-bit Performance) at 74.791x
Timed Linux Kernel Compilation (Time To Compile) at 66.539x
asmFish (1024 Hash Memory, 26 Depth) at 63.712x
Stockfish (Total Time) at 61.311x
Rodinia (Test: OpenMP CFD Solver) at 57.423x

7-Zip Compression (Compress Speed Test) at 54.646x.

Test Systems:

AMD E-350

Processor: AMD E-350 @ 1.60GHz (2 Cores), Motherboard: ASUS E35M1-M PRO (1602 BIOS), Chipset: AMD Family 14h Root Complex, Memory: 2048MB, Disk: 120GB ADATA SU700, Graphics: HIS AMD Radeon HD 6450/7450/8450 / R5 230 OEM 1024MB, Audio: Realtek ALC887-VD, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

AMD A6-7400K

Processor: AMD A6-7400K Radeon R5 6 Compute Cores 2C+4G @ 3.90GHz (1 Core / 2 Threads), Motherboard: ASRock FM2A58M-VG3+ R2.0 (P2.70 BIOS), Chipset: AMD Family 15h, Memory: 16384MB, Disk: 120GB ADATA SU700, Graphics: HIS AMD Radeon HD 6450/7450/8450 / R5 230 OEM 1024MB, Audio: Realtek ALC662 rev1, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

AMD A10-5800K

Processor: AMD A10-5800K APU @ 3.80GHz (2 Cores / 4 Threads), Motherboard: Gigabyte F2A68HM-H (FA BIOS), Chipset: AMD Family 15h, Memory: 4096MB, Disk: 120GB ADATA SU700, Graphics: HIS AMD Radeon HD 6450/7450/8450 / R5 230 OEM 1024MB, Audio: Realtek ALC887-VD, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

AMD A10-7800

Processor: AMD A10-7800 Radeon R7 12 Compute Cores 4C+8G @ 3.50GHz (2 Cores / 4 Threads), Motherboard: MSI A78M-E35 (MS-7721) v6.0 (V30.1 BIOS), Chipset: AMD Family 15h, Memory: 7168MB, Disk: 120GB ADATA SU700, Graphics: MSI AMD Radeon R7 1024MB, Audio: AMD Kaveri HDMI/DP, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

AMD A10-7870K

Processor: AMD A10-7870K Radeon R7 12 Compute Cores 4C+8G @ 3.90GHz (2 Cores / 4 Threads), Motherboard: ASUS A88XM-E (2001 BIOS), Chipset: AMD Family 15h, Memory: 15360MB, Disk: 250GB Samsung SSD 850,

Graphics: ASUS AMD Radeon R7 1024MB, Audio: AMD Kaveri HDMI/DP, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

AMD Athlon II X3 425

Processor: AMD Athlon II X3 425 @ 2.70GHz (3 Cores), Motherboard: ASRock 890FX Deluxe3 (P1.40 BIOS), Chipset: AMD RD890 PCI-e GFX Hydra part, Memory: 4096MB, Disk: 120GB ADATA SU700, Graphics: HIS AMD Radeon HD 6450/7450/8450 / R5 230 OEM 1024MB, Audio: VIA VT2020, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

AMD FX-8350

Processor: AMD FX-8350 Eight-Core @ 4.00GHz (4 Cores / 8 Threads), Motherboard: ASUS Crosshair V Formula (1703 BIOS), Chipset: AMD RD9x0/RX980, Memory: 8192MB, Disk: 120GB ADATA SU700, Graphics: HIS AMD Radeon HD 6450/7450/8450 / R5 230 OEM 1024MB, Audio: Realtek ALC889, Network: Intel 82583V Gigabit Connection

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Ryzen 5 2400G

Processor: AMD Ryzen 5 2400G @ 3.60GHz (4 Cores / 8 Threads), Motherboard: ASUS PRIME B350M-E (4011 BIOS), Chipset: AMD Device 15d0, Memory: 16384MB, Disk: Samsung SSD 950 PRO 256GB, Graphics: ASUS AMD Radeon Vega 8 Mobile 1024MB, Audio: AMD Device 15de, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Ryzen 5 2600

Processor: AMD Ryzen 5 2600 Six-Core @ 3.40GHz (6 Cores / 12 Threads), Motherboard: ASUS ROG CROSSHAIR VII HERO (WI-FI) (0509 BIOS), Chipset: AMD Family 17h, Memory: 16384MB, Disk: 525GB Crucial_CT525MX3 + Samsung SSD 950 PRO 256GB, Graphics: AMD Radeon RX Vega 8192MB, Audio: AMD Device aaf8, Network: Intel I211 Gigabit Connection + Realtek Device b822

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Ryzen 5 2600X

Processor: AMD Ryzen 5 2600X Six-Core @ 3.60GHz (6 Cores / 12 Threads), Motherboard: ASUS ROG CROSSHAIR VII HERO (WI-FI) (0509 BIOS), Chipset: AMD Family 17h, Memory: 16384MB, Disk: 525GB Crucial_CT525MX3 + Samsung SSD 950 PRO 256GB, Graphics: AMD Radeon RX Vega 8192MB, Audio: AMD Device aaf8, Network: Intel I211 Gigabit Connection + Realtek Device b822

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Ryzen 7 1700

Processor: AMD Ryzen 7 1700 Eight-Core @ 3.00GHz (8 Cores / 16 Threads), Motherboard: MSI B350 TOMAHAWK (MS-7A34) v1.0 (1.H0 BIOS), Chipset: AMD Family 17h, Memory: 16384MB, Disk: 525GB Crucial_CT525MX3 + Samsung SSD 950 PRO 256GB, Graphics: AMD Radeon RX Vega 8192MB, Audio: AMD Device aaf8, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Ryzen 7 1800X

Processor: AMD Ryzen 7 1800X Eight-Core @ 3.60GHz (8 Cores / 16 Threads), Motherboard: ASUS ROG CROSSHAIR VII HERO (WI-FI) (0509 BIOS), Chipset: AMD Family 17h, Memory: 16384MB, Disk: 525GB Crucial_CT525MX3 + Samsung SSD 950 PRO 256GB, Graphics: AMD Radeon RX Vega 8192MB, Audio: AMD Device aaf8, Network: Intel I211 Gigabit Connection + Realtek Device b822

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Ryzen 7 2700

Processor: AMD Ryzen 7 2700 Eight-Core @ 3.20GHz (8 Cores / 16 Threads), Motherboard: ASUS ROG CROSSHAIR VII HERO (WI-FI) (0509 BIOS), Chipset: AMD Family 17h, Memory: 16384MB, Disk: 525GB Crucial_CT525MX3 + Samsung SSD 950 PRO 256GB, Graphics: AMD Radeon RX Vega 8192MB, Audio: AMD Device aaf8, Network: Intel I211 Gigabit Connection + Realtek Device b822

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Ryzen 7 2700X

Processor: AMD Ryzen 7 2700X Eight-Core @ 3.70GHz (8 Cores / 16 Threads), Motherboard: ASUS ROG CROSSHAIR VII HERO (WI-FI) (0509 BIOS), Chipset: AMD Family 17h, Memory: 16384MB, Disk: 525GB Crucial_CT525MX3 + Samsung SSD 950 PRO 256GB, Graphics: AMD Radeon RX Vega 8192MB, Audio: AMD Device aaf8, Network: Intel I211 Gigabit Connection + Realtek Device b822

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Ryzen Threadripper 1950X

Processor: AMD Ryzen Threadripper 1950X 16-Core @ 3.40GHz (16 Cores / 32 Threads), Motherboard: Gigabyte X399 AORUS Gaming 7 (F3g BIOS), Chipset: AMD Family 17h, Memory: 16384MB, Disk: 120GB Force MP500, Graphics: MSI AMD Radeon R7 370 / R9 270/370 OEM 4096MB, Audio: Realtek ALC1220, Network: Qualcomm Atheros Killer E2500 Gigabit + Intel Wireless 8265 / 8275

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Intel Core 2 Duo E8400

Processor: Intel Core 2 Duo E8400 @ 2.99GHz (2 Cores), Motherboard: Gigabyte EP45T-DS3R (F1 BIOS), Chipset: Intel 4 DRAM + ICH10R, Memory: 4096MB, Disk: 120GB ADATA SU700, Graphics: HIS AMD Radeon HD 6450/7450/8450 / R5 230 OEM 1024MB, Audio: Realtek ALC889A, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Pentium G3258

Processor: Intel Pentium G3258 @ 3.20GHz (2 Cores), Motherboard: Gigabyte H97M-D3H (F2 BIOS), Chipset: Intel 4th Gen Core DRAM, Memory: 8192MB, Disk: 250GB SAMSUNG HD253GJ, Graphics: Intel Haswell Desktop 1536MB (1100MHz), Audio: Intel Xeon E3-1200 v3/4th, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i3 2100

Processor: Intel Core i3-2100 @ 3.10GHz (2 Cores / 4 Threads), Motherboard: MSI H61M-P31/W8 (MS-7788) v1.0 (V3.6 BIOS), Chipset: Intel 2nd Generation Core Family DRAM, Memory: 4096MB, Disk: 120GB ADATA SU700, Graphics: HIS AMD Radeon HD 6450/7450/8450 / R5 230 OEM 1024MB, Audio: Realtek ALC887-VD, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i5 2400S

Processor: Intel Core i5-2400S @ 3.30GHz (4 Cores), Motherboard: ASRock Z68 Pro3 (P2.10 BIOS), Chipset: Intel 2nd Generation Core Family DRAM, Memory: 4096MB, Disk: 120GB ADATA SU700, Graphics: HIS AMD Radeon HD 6450/7450/8450 / R5 230 OEM 1024MB, Audio: Realtek ALC892, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i5 7600K

Processor: Intel Core i5-7600K @ 4.20GHz (4 Cores), Motherboard: Gigabyte Z270M-D3H-CF (F8d BIOS), Chipset: Intel Intel Kaby Lake + Z270, Memory: 8192MB, Disk: 250GB Samsung SSD 850, Graphics: Intel HD 630 (1150MHz), Audio: Realtek ALC892, Network: Intel Connection

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i5 8400

Processor: Intel Core i5-8400 @ 4.00GHz (6 Cores), Motherboard: MSI Z370M MORTAR (MS-7B54) v1.0 (1.20 BIOS), Chipset: Intel Device 3ec2, Memory: 16384MB, Disk: Samsung SSD 950 PRO 256GB, Graphics: Intel UHD 630 3072MB (1050MHz), Audio: Realtek ALC892, Network: Intel Connection

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i7 5960X

Processor: Intel Core i7-5960X @ 3.50GHz (8 Cores / 16 Threads), Motherboard: ASRock X99 Extreme3 (P3.50 BIOS), Chipset: Intel Xeon E7 v3/Xeon, Memory: 16384MB, Disk: 120GB INTEL SSDSC2BW12, Graphics: AMD FirePro V7900 2048MB, Audio: Realtek ALC1150, Network: Intel Connection

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i7 7740X

Processor: Intel Core i7-7740K @ 4.50GHz (4 Cores / 8 Threads), Motherboard: Gigabyte X299 AORUS Gaming-CF (F2d BIOS), Chipset: Intel Intel Kaby Lake, Memory: 8192MB, Disk: 120GB Force MP500, Graphics: MSI NVIDIA GP108 2048MB, Audio: Realtek ALC1220, Network: Intel Connection

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i7 870

Processor: Intel Core 870 @ 2.93GHz (4 Cores / 8 Threads), Motherboard: ECS P55H-A v1.0 (080016 BIOS), Chipset: Intel Core DMI, Memory: 8192MB, Disk: 120GB ADATA SU700, Graphics: HIS AMD Radeon HD 6450/7450/8450 / R5 230 OEM 1024MB, Audio: Realtek ALC1200, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i7 8700K

Processor: Intel Core i7-8700K @ 4.70GHz (6 Cores / 12 Threads), Motherboard: ASUS PRIME Z370-A (0607 BIOS), Chipset: Intel Device 3ec2, Memory: 16384MB, Disk: 525GB Crucial_CT525MX3 + Samsung SSD 950 PRO 256GB, Graphics: AMD Radeon RX Vega 8192MB, Audio: Realtek ALC1220, Network: Intel Connection

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i7 990X

Processor: Intel Core i7 990X @ 3.47GHz (6 Cores / 12 Threads), Motherboard: MSI X58M (MS-7593) v1.0 (V3.8 BIOS), Chipset: Intel 5520/5500/X58 + ICH10R, Memory: 12288MB, Disk: PNY CS1211 120GB, Graphics: Sapphire AMD Radeon HD 5000/6000/7350/8350 512MB, Audio: Realtek ALC889, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i9 7900X

Processor: Intel Core i7-7900X @ 4.50GHz (10 Cores / 20 Threads), Motherboard: ASRock X299 Extreme4 (P1.20 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 32768MB, Disk: 120GB Force MP500, Graphics: Zotac NVIDIA GeForce GT 610 1024MB, Audio: Realtek ALC1220, Network: Intel Connection

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Core i9 7980XE

Processor: Intel Core i9-7980XE @ 4.40GHz (18 Cores / 36 Threads), Motherboard: ASUS PRIME X299-A (1004 BIOS), Chipset: Intel Sky Lake-E DMI3 Registers, Memory: 16384MB, Disk: 256GB INTEL SSDPEKKW256G8, Graphics: NV134 8192MB, Audio: Realtek ALC1220, Network: Intel Connection

OS: Ubuntu 18.04, Kernel: 4.17.0-999-generic (x86_64), Compiler: GCC 8.1.0, File-System: ext4

Willow6C

Willow16C

Processor: 16 x Intel Core (Haswell IBRS) (16 Cores), Motherboard: Red Hat KVM (0.5.1 BIOS), Memory: 32768MB, Disk: 3938GB, Graphics: qxldrmfb, Audio: QEMU Generic

OS: Clear Linux OS 29390, Kernel: 3.10.0-957.12.2.el7.x86_64 (x86_64), Compiler: GCC 9.1.1 20190512 gcc-9-branch@271104 + Clang 8.0.0 + LLVM 8.0.0, File-System: overlayfs, Screen Resolution: 1024x768, System Layer: container-other

Environment Notes:
CFFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl now-Wl-z-Wl relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl-sort-common-Wl--enable-new-dtags
FFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl--enable-new-dtags
CXXFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake-fvisibility-inlines-hidden-Wl--enable-new-dtags
CFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake
THEANO_FLAGS=floatX=float32 openmp=true gcc.cxxflags="-ftree-vectorize-mavx"
Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --disable-werror --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-clocale=gnu --enable-default-pie --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-ld=default --enable-libstdcxx-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere --with-gcc-major-version-only --with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=haswell
Security Notes: KPTI + Load fences __user pointer sanitization + Full retpoline IBPB + SSB disabled via prctl and seccomp + PTE Inversion

Core i5 8500T

Processor: Intel Core i5-8500T @ 3.50GHz (6 Cores), Motherboard: Dell 03KWTV (1.2.22 BIOS), Memory: 8192MB, Disk: 240GB Western Digital WDS240G2G0A + 3001GB EZRZ-00Z5HB0, Graphics: inteldrmfb (1100MHz), Audio:

Realtek ALC3234, Monitor: SAMSUNG

OS: Clear Linux OS 29390, Kernel: 5.0.0-37-generic (x86_64), Compiler: GCC 9.1.1 20190512 gcc-9-branch@271104 + Clang 8.0.0 + LLVM 8.0.0, File-System: overlayfs, Screen Resolution: 1920x1080, System Layer: Docker

Environment Notes:
CFFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl now-Wl-z-Wl relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl-sort-common-Wl--enable-new-dtags
FFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl--enable-new-dtags
CXXFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake-fvisibility-inlines-hidden-Wl--enable-new-dtags
CFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake
THEANO_FLAGS=floatX=float32 openmp=true gcc.cxxflags="-ftree-vectorize-mavx"
Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --disable-werror --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-clocale=gnu --enable-default-pie --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-ld=default --enable-libstdcxx-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere --with-gcc-major-version-only --with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=haswell
Processor Notes: Scaling Governor: intel_pstate powersave
Security Notes: KPTI + usercopy/swapgs barriers and __user pointer sanitization + Full generic retpoline IBPB: conditional IBRS_FW STIBP: disabled RSB filling + SSB disabled via prctl and seccomp + PTE Inversion; VMX: conditional cache flushes SMT disabled

Core i5 3470T

Processor: Intel Core i5-3470T @ 3.60GHz (2 Cores / 4 Threads), Motherboard: LENOVO MAHOBAY (9SKT63AUS BIOS), Memory: 4096MB, Disk: 120GB KINGSTON SV300S3 + 31GB Ultra Fit, Graphics: i915drmfb (1100MHz), Audio: Realtek ALC662 rev3, Monitor: SAMSUNG

OS: Clear Linux OS 29390, Kernel: 5.3.0-40-generic (x86_64), Compiler: GCC 9.1.1 20190512 gcc-9-branch@271104 + Clang 8.0.0 + LLVM 8.0.0, File-System: overlayfs, Screen Resolution: 1920x1080, System Layer: Docker

Environment Notes:
CFFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl now-Wl-z-Wl
relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl-sort-common-Wl--enable-new-dtags
FFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl--enable-new-dtags
CXXFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake-fvisibility-inlines-hidden-Wl--enable-new-dtags
CFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake
THEANO_FLAGS=floatX=float32 openmp=true gcc.cxxflags="-ftree-vectorize-mavx"
Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --disable-werror --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-clocale=gnu --enable-default-pie --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-ld=default --enable-libstdcxx-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere --with-gcc-major-version-only --with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=haswell
Processor Notes: Scaling Governor: intel_pstate powersave
Security Notes: KPTI + usercopy/swapgs barriers and __user pointer sanitization + Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + SSB disabled via prctl and seccomp + PTE Inversion

i5 3470T 8GB RAM

Processor: Intel Core i5-3470T @ 3.60GHz (2 Cores / 4 Threads), Motherboard: LENOVO MAHOBAY (9SKT63AUS BIOS), Memory: 8192MB, Disk: 120GB KINGSTON SV300S3, Graphics: i915drmfb (1100MHz), Audio: Realtek ALC662 rev3, Monitor: SAMSUNG

OS: Clear Linux OS 29390, Kernel: 5.3.0-40-generic (x86_64), Compiler: GCC 9.1.1 20190512 gcc-9-branch@271104 +

Clang 8.0.0 + LLVM 8.0.0, File-System: overlayfs, Screen Resolution: 1920x1080, System Layer: Docker

Environment Notes:
CFFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl now-Wl-z-Wl relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl-sort-common-Wl--enable-new-dtags
FFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl--enable-new-dtags
CXXFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake-fvisibility-inlines-hidden-Wl--enable-new-dtags
CFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake THEANO_FLAGS=floatX=float32 openmp=true gcc.cxxflags="-ftree-vectorize-mavx"
Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --disable-werror --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-clocale=gnu --enable-default-pie --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-ld=default --enable-libstdcxx-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere --with-gcc-major-version-only --with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=haswell
Processor Notes: Scaling Governor: intel_pstate powersave
Security Notes: KPTI + usercopy/swapgs barriers and __user pointer sanitization + Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + SSB disabled via prctl and seccomp + PTE Inversion

i5 3470T 10GB

Processor: Intel Core i5-3470T @ 3.60GHz (2 Cores / 4 Threads), Motherboard: LENOVO MAHOBAY (9SKT63AUS BIOS), Memory: 10240MB, Disk: 120GB KINGSTON SV300S3, Graphics: i915drmfb (1100MHz), Audio: Realtek ALC662 rev3, Monitor: SAMSUNG

OS: Clear Linux OS 29390, Kernel: 5.3.0-42-generic (x86_64), Compiler: GCC 9.1.1 20190512 gcc-9-branch@271104 + Clang 8.0.0 + LLVM 8.0.0, File-System: overlayfs, Screen Resolution: 1920x1080, System Layer: Docker

Environment Notes:
CFFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl now-Wl-z-Wl relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl-sort-common-Wl--enable-new-dtags
FFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl--enable-new-dtags
CXXFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake-fvisibility-inlines-hidden-Wl--enable-new-dtags
CFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake THEANO_FLAGS=floatX=float32 openmp=true gcc.cxxflags="-ftree-vectorize-mavx"
Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --disable-werror --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-clocale=gnu --enable-default-pie --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-ld=default --enable-libstdcxx-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere --with-gcc-major-version-only --with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=haswell
Processor Notes: Scaling Governor: intel_pstate performance
Security Notes: KPTI + usercopy/swapgs barriers and __user pointer sanitization + Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + SSB disabled via prctl and seccomp + PTE Inversion

2 x E5-2667v3

Processor: Intel Core (4 Cores / 32 Threads), Motherboard: QEMU Standard PC (Q35 + ICH9 2009) (rel-1.12.0-0-ga698c89-rebuilt.opensuse.org BIOS), Chipset: Intel 82G33/G31/P35/P31 + ICH9, Memory: 18GB, Disk: 59GB, Graphics: llvmpipe 16GB, Audio: QEMU Generic, Network: Red Hat Virtio device

OS: Ubuntu 20.04, Kernel: 5.4.0-18-generic (x86_64), Desktop: GNOME Shell 3.36.0, Display Server: X Server 1.20.7, Display Driver: modesetting 1.20.7, OpenGL: 3.3 Mesa 20.0.2 (LLVM 9.0.1 256 bits), Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080, System Layer: KVM

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: CPU Microcode: 0x1
Security Notes: itlb_multihit: KVM: Vulnerable + l1tf: Mitigation of PTE Inversion + mds: Mitigation of Clear buffers; SMT Host state unknown + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + tsx_async_abort: Not affected

i5 6500 8GB RAM

Processor: Intel Core i5-6500 @ 3.60GHz (4 Cores), Motherboard: HP 8056 (N21 Ver. 02.21 BIOS), Memory: 8192MB, Disk: 120GB KINGSTON SV300S3, Graphics: i915drmfb (1050MHz), Audio: Realtek ALC221, Monitor: SAMSUNG

OS: Clear Linux OS 29390, Kernel: 5.3.0-45-generic (x86_64), Compiler: GCC 9.1.1 20190512 gcc-9-branch@271104 + Clang 8.0.0 + LLVM 8.0.0, File-System: overlayfs, Screen Resolution: 1920x1080, System Layer: Docker

Environment Notes:
CFFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl now-Wl-z-Wl relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl-sort-common-Wl--enable-new-dtags
FFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl--enable-new-dtags
CXXFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake-fvisibility-inlines-hidden-Wl--enable-new-dtags
CFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake
THEANO_FLAGS=floatX=float32 openmp=true gcc.cxxflags="-ftree-vectorize-mavx"
Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --disable-werror --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-clocale=gnu --enable-default-pie --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-ld=default --enable-libstdcxx-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere --with-gcc-major-version-only --with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=haswell
Processor Notes: Scaling Governor: intel_pstate performance
Security Notes: KPTI + usercopy/swapgs barriers and __user pointer sanitization + Full generic retpoline IBPB: conditional IBRS_FW STIBP: disabled RSB filling + SSB disabled via prctl and seccomp + PTE Inversion

i5 6500 10GB RAM

Processor: Intel Core i5-6500 @ 3.60GHz (4 Cores), Motherboard: HP 8056 (N21 Ver. 02.21 BIOS), Memory: 10240MB, Disk: 120GB KINGSTON SV300S3, Graphics: i915drmfb (1050MHz), Audio: Realtek ALC221, Monitor: SAMSUNG

OS: Clear Linux OS 29390, Kernel: 5.3.0-45-generic (x86_64), Compiler: GCC 9.1.1 20190512 gcc-9-branch@271104 + Clang 8.0.0 + LLVM 8.0.0, File-System: overlayfs, Screen Resolution: 1920x1080, System Layer: Docker

Environment Notes:
CFFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl now-Wl-z-Wl
relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl-sort-common-Wl--enable-new-dtags
FFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-malign-data=abi-fno-semantic-interposition-ftree-vectorize-ftree-loop-vectorize-Wl--enable-new-dtags
CXXFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake-fvisibility-inlines-hidden-Wl--enable-new-dtags
CFLAGS=-g-O3-feliminate-unused-debug-types-pipe-Wall-Wp-D_FORTIFY_SOURCE=2-fexceptions-fstack-protector--param=ssp-buffer-size=32-Wformat-Wformat-security-m64-fasynchronous-unwind-tables-Wp-D_REENTRANT-ftree-loop-distribute-patterns-Wl-z-Wl
relro-fno-semantic-interposition-ffat-lto-objects-fno-signed-zeros-fno-trapping-math-fassociative-math-Wl-sort-common-Wl--enable-new-dtags-mtune=skylake
THEANO_FLAGS=floatX=float32 openmp=true gcc.cxxflags="-ftree-vectorize-mavx"
Compiler Notes: --build=x86_64-generic-linux --disable-libmpx --disable-libunwind-exceptions --disable-multiarch --disable-vtable-verify --disable-werror --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-clocale=gnu --enable-default-pie --enable-gnu-indirect-function --enable-languages=c,c++,fortran,go --enable-ld=default --enable-libstdcxx-pch --enable-lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --exec-prefix=/usr --includedir=/usr/include --target=x86_64-generic-linux --with-arch=westmere --with-gcc-major-version-only --with-glibc-version=2.19 --with-gnu-ld --with-isl --with-ppl=yes --with-tune=haswell
Processor Notes: Scaling Governor: intel_pstate powersave
Security Notes: KPTI + usercopy/swapgs barriers and __user pointer sanitization + Full generic retpoline IBPB: conditional IBRS_FW STIBP: disabled RSB filling + SSB disabled via prctl and seccomp + PTE Inversion

LenovoM700Tiny

Processor: Intel Core i3-6100T @ 3.20GHz (2 Cores / 4 Threads), Motherboard: LENOVO SKYBAY (FWKT53A BIOS), Memory: 4096MB, Disk: 240GB Western Digital WDS240G2G0A + 3001GB EZRZ-00Z5HB0, Graphics: i915drmfb (950MHz), Audio: Realtek ALC233, Monitor: SAMSUNG

OS: Ubuntu 20.04.1 LTS, Kernel: 5.8.1-050801-generic (x86_64), Display Driver: i915drmfb, Compiler: GCC 9.3.0, File-System: overlayfs, Screen Resolution: 1920x1080, System Layer: Docker

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0xe2
Security Notes: itlb_multihit: KVM: Mitigation of Split huge pages + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

Core i5 7500T

Processor: Intel Core i5-7500T @ 3.30GHz (4 Cores), Motherboard: HP 82A5 (P23 Ver. 02.04 BIOS), Chipset: Intel Xeon E3-1200 v6/7th + H270, Memory: 16GB, Disk: 256GB Western Digital WDS256G1X0C-00ENX0, Graphics: Intel HD 630 3GB (1100MHz), Audio: Conexant CX20632, Monitor: S243HL, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.10.0-1033-oem (x86_64), Display Server: X Server 1.20.9, OpenGL: 4.6 Mesa 20.2.6, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate performance - CPU Microcode: 0xea - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Mitigation of Clear buffers; SMT disabled + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: disabled RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Mitigation of Clear buffers; SMT disabled

Core i3 7100U

Processor: Intel Core i3-7100U @ 2.40GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20J2S07700 (R0JET44W 1.29 BIOS), Chipset: Intel Xeon E3-1200 v6/7th, Memory: 12GB, Disk: 256GB Western Digital WDS256G1X0C-00ENX0, Graphics: Intel HD 620 3GB (1000MHz), Audio: Realtek ALC298, Monitor: ASUS VN247, Network: Intel I219-V + Intel 8265 / 8275

OS: Ubuntu 20.04, Kernel: 5.10.0-1033-oem (x86_64), Display Server: X Server 1.20.9, OpenGL: 4.6 Mesa 20.2.6, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 3286x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate performance - CPU Microcode: 0xea - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

MacMini2011-2415M

Processor: Intel Core i5-2415M @ 2.30GHz (2 Cores / 4 Threads), Motherboard: Apple Mac mini, Chipset: Intel 6, Memory: 2 x 8 GB DDR3-1333MHz, Disk: 240 06GB OCZ-AGILITY3, Graphics: Intel HD 3000 512MB, Monitor: HP 27er

OS: macOS 10.13.6, Kernel: 17.7.0 (x86_64), Compiler: Apple LLVM 10.0.0 (clang-1000.10.44.4) + GCC 4.2.1, File-System: APFS, Screen Resolution: 1920x1080

Environment Notes: XPC_FLAGS=0x0
Processor Notes: CPU Microcode: 47

Core i5 8250U

Processor: Intel Core i5-8250U @ 1.60GHz (4 Cores / 8 Threads), Motherboard: KBL Charmander_KL (V1.10 BIOS), Chipset: Intel Xeon E3-1200 v6/7th, Memory: 12GB, Disk: 500GB KINGSTON SA2000M8500G, Graphics: NVIDIA GeForce MX150 2GB (1480/3003MHz), Audio: Realtek ALC255, Monitor: LM156LF1L03, Network: Realtek RTL8111/8168/8411 + Qualcomm Atheros QCA9377 802.11ac

OS: Ubuntu 20.04, Kernel: 5.10.0-1044-oem (x86_64), Display Server: X Server 1.20.11, Display Driver: NVIDIA 470.57.02, OpenGL: 4.6.0, OpenCL: OpenCL 3.0 CUDA 11.4.94, Vulkan: 1.2.175, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0xea - Thermald 1.9.1
OpenCL Notes: GPU Compute Cores: 384
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

Core i3 8130U

Processor: Intel Core i3-8130U @ 3.40GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20LTS28S00 (R0QET41W 1.18 BIOS), Chipset: Intel Xeon E3-1200 v6/7th, Memory: 12GB, Disk: 120GB KINGSTON SV300S3, Graphics: Intel UHD 620 3GB (1000MHz), Audio: Realtek ALC257, Monitor: HP 27er, Network: Intel I219-V + Intel 8265 / 8275

OS: Ubuntu 20.04, Kernel: 5.11.0-27-generic (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 3286x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0xea
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

Core i5 8265U

Processor: Intel Core i5-8265U @ 3.90GHz (4 Cores / 8 Threads), Motherboard: LENOVO 20N9S19A00 (R0YET28W 1.11 BIOS), Chipset: Intel Cannon Point-LP, Memory: 16GB, Disk: 256GB Western Digital WDS256G1X0C-00ENX0, Graphics: Intel UHD 620 3GB (1100MHz), Audio: Conexant CX8070, Monitor: HP 27er, Network: Realtek

RTL8111/8168/8411 + Intel-AC 9260

OS: Ubuntu 20.04, Kernel: 5.10.0-1044-oem (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0xea
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Not affected + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

Ryzen 3 5300U 8GB

Processor: AMD Ryzen 3 5300U @ 2.60GHz (4 Cores / 8 Threads), Motherboard: LENOVO LNVNB161216 (GQCN19WWV1.05 BIOS), Chipset: AMD Renoir Root Complex, Memory: 6GB, Disk: 256GB Western Digital WDS256G1X0C-00ENX0, Graphics: AMD RENOIR 2GB (1500/400MHz), Audio: AMD Device 1637, Monitor: HP 27er, Network: Realtek RTL8111/8168/8411 + Intel Wi-Fi 6 AX200

OS: Ubuntu 20.04, Kernel: 5.10.0-1045-oem (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 21.0.3 (LLVM 12.0.0), Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 3840x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq powersave (Boost: Enabled) - CPU Microcode: 0x8608103
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Ryzen 3 5300U 16GB

Processor: AMD Ryzen 3 5300U @ 2.60GHz (4 Cores / 8 Threads), Motherboard: LENOVO LNVNB161216 (GQCN19WWV1.05 BIOS), Chipset: AMD Renoir Root Complex, Memory: 14GB, Disk: 256GB Western Digital WDS256G1X0C-00ENX0, Graphics: AMD RENOIR 2GB (1500/400MHz), Audio: AMD Device 1637, Monitor: HP 27er, Network: Realtek RTL8111/8168/8411 + Intel Wi-Fi 6 AX200

OS: Ubuntu 20.04, Kernel: 5.10.0-1045-oem (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 21.0.3 (LLVM 12.0.0), Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 3840x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand (Boost: Enabled) - CPU Microcode: 0x8608103
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Acer CB 315 - A4 9120C

Processor: 15/70 (2 Cores), Motherboard: ChromiumOS crosvm, Memory: 3072MB, Disk: 31GB

OS: Debian GNU/Linux 10, Kernel: 5.4.131-16049-gc688e114d34e (x86_64), Display Server: Wayland, Compiler: GCC 8.3.0, File-System: btrfs, Screen Resolution: 1920x1080, System Layer: lxc

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: CPU Microcode: 0x1000065
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline IBPB: conditional STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Lenovo Duet Helio P60T

Processor: ARMv8 Cortex-A73 (8 Cores), Memory: 3072MB, Disk: 47GB

OS: Debian GNU/Linux 10, Kernel: 5.4.131-16049-gc688e114d34e (aarch64), Display Server: Wayland, Compiler: GCC 8.3.0, File-System: btrfs, System Layer: lxc

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=aarch64-linux-gnu --disable-libphobos --disable-libquadmath --disable-libquadmath-support --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-fix-cortex-a53-843419 --enable-gnu-unique-object --enable-languages=c,ada,c++,go,d,fortran,objc,obj-c++ --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-nls --enable-plugin --enable-shared --enable-threads=posix --host=aarch64-linux-gnu --program-prefix=aarch64-linux-gnu- --target=aarch64-linux-gnu --with-default-libstdcxx-abi=new --with-gcc-major-version-only -v
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Not affected + spectre_v1: Mitigation of __user pointer sanitization + spectre_v2: Mitigation of Branch predictor hardening + srbds: Not affected + tsx_async_abort: Not affected

Core i7 8665U

Processor: Intel Core i7-8665U @ 4.80GHz (4 Cores / 8 Threads), Motherboard: LENOVO 20Q1SD2200 (N2JET92W 1.70 BIOS), Chipset: Intel Cannon Point-LP, Memory: 16GB, Disk: 256GB Micron_1100_MTFD, Graphics: Intel WhiskeyLake-U GT2 [UHD 620] 3GB (1150MHz), Audio: Realtek ALC257, Monitor: HP 27er, Network: Intel I219-LM + Intel Cannon Point-LP CNVi

OS: Ubuntu 21.04, Kernel: 5.11.0-37-generic (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 21.0.3, Compiler: GCC 10.3.0, File-System: ext4, Screen Resolution: 3840x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-link-mutex --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-gDeRY6/gcc-10-10.3.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-gDeRY6/gcc-10-10.3.0/debian/tmp-gcn/usr, hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-build-config=bootstrap-lto-lean --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0xea
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced IBRS IBPB: conditional RSB filling + srbds: Mitigation of TSX disabled + tsx_async_abort: Mitigation of TSX disabled

Core m3-7Y30

Processor: Intel Core m3-7Y30 @ 2.60GHz (2 Cores / 4 Threads), Motherboard: ASUS UX330CAK v1.0 (UX330CAK.302 BIOS), Chipset: Intel Xeon E3-1200 v6/7th, Memory: 8GB, Disk: 256GB Micron_1100_MTFD, Graphics: ASUS Intel HD 615 3GB (900MHz), Audio: Realtek ALC255, Monitor: HP 27er, Network: Intel 8260

OS: Ubuntu 20.04, Kernel: 5.11.0-38-generic (x86_64), Display Server: X Server 1.20.13, OpenGL: 4.6 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 3840x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0xea - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

Core i7 5600U

Processor: Intel Core i7-5600U @ 3.20GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20CLS41L00 (N10ET60W 1.39 BIOS), Chipset: Intel Broadwell-U-OPI, Memory: 8GB, Disk: 240GB INTEL SSDSC2BF24, Graphics: Intel HD 5500 BDW GT2 3GB (950MHz), Audio: Intel Broadwell-U Audio, Network: Intel I218-LM + Intel 7265

OS: Linuxmint 20.2, Kernel: 5.4.0-74-generic (x86_64), Desktop: Cinnamon 5.0.4, Display Server: X Server 1.20.9, OpenGL: 4.6 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1366x768

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0x2f - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Vulnerable + l1tf: Mitigation of PTE Inversion + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Mitigation of Clear buffers; SMT vulnerable

Celeron N3350

Processor: Intel Celeron N3350 @ 2.40GHz (2 Cores), Motherboard: APL ASAHI_AP (V1.05 BIOS), Chipset: Intel Celeron N3350/Pentium, Memory: 4096MB, Disk: 128GB LITEON CV3-8D128, Graphics: Intel HD 500 (650MHz), Audio: Realtek ALC255, Monitor: HP 24m + LM133LF5L01, Network: Intel 7265

OS: Debian 11, Kernel: 5.10.0-9-amd64 (x86_64), Desktop: MATE 1.24.1, Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 20.3.5, Vulkan: 1.2.145, Compiler: GCC 10.2.1 20210110, File-System: ext4, Screen Resolution: 3840x1080

Kernel Notes: Transparent Huge Pages: always
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-link-mutex --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-10-Km9U7s/gcc-10-10.2.1/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-10-Km9U7s/gcc-10-10.2.1/debian/tmp-gcn/usr, hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-build-config=bootstrap-lto-lean --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_cpufreq schedutil - CPU Microcode: 0x26
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Mitigation of PTI + spec_store_bypass: Vulnerable + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Core i7 6600U

Processor: Intel Core i7-6600U @ 3.40GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20FJS2NA00 (N1KET43W 1.30 BIOS), Chipset: Intel Xeon E3-1200 v5/E3-1500, Memory: 16GB, Disk: 512GB SAMSUNG MZ7LN512, Graphics: Intel HD 520 SKL GT2 3GB (1050MHz), Audio: Realtek ALC293, Network: Intel I219-LM + Intel 8260

OS: Ubuntu 20.04, Kernel: 5.11.0-40-generic (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0 + Clang 10.0.0-4ubuntu1 + LLVM 10.0.0, File-System: ext4, Screen Resolution:

1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave (EPP: balance_performance) - CPU Microcode: 0xea
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Mitigation of Clear buffers; SMT vulnerable

Core i5 5300U

Processor: Intel Core i5-5300U @ 2.90GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20CL0050MN (N10ET36W 1.15 BIOS), Chipset: Intel Broadwell-U-OPI, Memory: 8GB, Disk: 120GB KINGSTON SV300S3, Graphics: Intel HD 5500 3GB (900MHz), Audio: Intel Broadwell-U Audio, Network: Intel I218-LM + Intel 7265

OS: Ubuntu 20.04, Kernel: 5.11.0-34-generic (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1366x768

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_cpufreq performance - CPU Microcode: 0x2f - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Mitigation of Clear buffers; SMT vulnerable

Core i7 4600

Processor: Intel Core i7-4600U @ 3.30GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20AMS0M600 (GIET69WW 2.19 BIOS), Chipset: Intel Haswell-ULT DRAM, Memory: 8GB, Disk: 120GB KINGSTON SV300S3, Graphics: Intel HD 4400 2GB (1100MHz), Audio: Intel Haswell-ULT HD Audio, Network: Intel I218-LM + Intel 7260

OS: Ubuntu 20.04, Kernel: 5.11.0-46-generic (x86_64), Display Server: X Server 1.20.13, OpenGL: 4.5 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1366x768

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_cpufreq performance - CPU Microcode: 0x26 - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

Pentium 4405U

Processor: Intel Pentium 4405U @ 2.10GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20FVS12A00 (R08ET39W 1.13 BIOS), Memory: 1 x 4096 MB 1600MHz Samsung M471B5173DB0-YK0, Disk: 119GB SAMSUNG MZ7LF128HCHP-000L1, Graphics: Intel HD 510 1GB, Audio: Realtek HD Audio + Intel Skjermlyd, Network: Intel Connection I219-V + Intel Dual Band Wireless-AC 8260

OS: Microsoft Windows 10 Education Build 19042, Kernel: 10.0.19042.1466 (x86_64), Display Driver: 23.20.16.4973, Vulkan: 1.0.65, File-System: NTFS, Screen Resolution: 1920x1080

Security Notes: __user pointer sanitization: Disabled + IBPB: Always + IBRS: Enabled + STIBP: Enabled + KPTI Enabled: Yes + PTE Inversion: Yes + VBS: Disabled

Phenom II X6 1055T

Processor: AMD Phenom II X6 1055T @ 2.80GHz (6 Cores), Motherboard: ASUS M5A78L-M/USB3 (0801 BIOS), Chipset: AMD RS780 + SB7x0/SB8x0/SB9x0, Memory: 4096MB, Disk: 120GB KINGSTON SV300S3, Graphics: ASUS AMD Radeon 3000 256MB, Audio: VIA VT1708S, Monitor: Philips FTV, Network: Realtek RTL8111/8168/8411 + Ralink RT2800 802.11n PCI

OS: Ubuntu 20.04, Kernel: 5.11.0-46-generic (x86_64), Display Server: X Server 1.20.13, OpenGL: 3.3 Mesa 21.0.3 (LLVM 12.0.0), Vulkan: 1.0.2, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand (Boost: Enabled) - CPU Microcode: 0x10000dc
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Not affected + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full AMD retpoline STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Core i5 6300U

Processor: Intel Core i5-6300U @ 3.00GHz (2 Cores / 4 Threads), Motherboard: Dell 0T6HHJ (1.24.3 BIOS), Chipset: Intel Xeon E3-1200 v5/E3-1500, Memory: 16GB, Disk: 256GB Western Digital WDS256G1X0C-00ENX0, Graphics: Intel Skylake GT2 [HD 520] 3GB (1000MHz), Audio: Realtek ALC3235, Network: Intel I219-LM + Intel 8260 + Intel Device 093c

OS: Ubuntu 20.04, Kernel: 5.10.0-1049-oem (x86_64), Display Server: X Server 1.20.11, OpenGL: 4.6 Mesa 21.0.3, Vulkan: 1.2.145, Compiler: GCC 9.3.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-HskZEa/gcc-9-9.3.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0xea - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Mitigation of Clear buffers; SMT vulnerable

Core i5 10310U

Processor: Intel Core i5-10310U @ 4.40GHz (4 Cores / 8 Threads), Motherboard: Dell 04J6CM (1.9.1 BIOS), Chipset: Intel Device 02ef, Memory: 16GB, Disk: Kioxia KXG60ZNV512G NVMe 512GB, Graphics: Intel UHD CML GT2 3GB (1150MHz), Audio: Realtek ALC3254, Monitor: DELL U2720Q, Network: Intel-AC 9462

OS: Ubuntu 20.04, Kernel: 5.13.0-39-generic (x86_64), Display Server: X Server, OpenGL: 4.6 Mesa 21.2.6, Vulkan: 1.2.182, Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 3840x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch

--enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate performance - CPU Microcode: 0xea - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced IBRS IBPB: conditional RSB filling + srbds: Mitigation of TSX disabled + tsx_async_abort: Mitigation of TSX disabled

AMD Ryzen 7 5700U

Processor: AMD Ryzen 7 5700U @ 1.80GHz (8 Cores / 16 Threads), Motherboard: ASUS PN51-E1 v0302, Chipset: AMD Renoir Root Complex, Memory: 16GB, Disk: 500GB KINGSTON SA2000M8500G, Graphics: ASUS AMD RENOIR 512MB (1900/400MHz), Audio: AMD Device 1637, Monitor: HP 27er, Network: Realtek RTL8125 2.5GbE + Intel 8265 / 8275

OS: Ubuntu 20.04, Kernel: 5.13.0-39-generic (x86_64), Desktop: GNOME Shell 3.36.9, Display Server: X Server 1.20.13, OpenGL: 4.6 Mesa 21.2.6 (LLVM 12.0.0), Vulkan: 1.2.182, Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq ondemand (Boost: Enabled) - CPU Microcode: 0x8608102
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of LFENCE IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Core i5 2400

Processor: Intel Core i5-2400 @ 3.40GHz (4 Cores), Motherboard: Foxconn 2ABF v1.30 (7.15 BIOS), Chipset: Intel 2nd Generation Core DRAM, Memory: 6GB, Disk: 2000GB Hitachi HDS72302 + 120GB KINGSTON SV300S3, Graphics: NVIDIA NVC1 2GB, Audio: Realtek ALC656, Monitor: HP 27er, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.13.0-28-generic (x86_64), Display Server: X Server 1.20.13, Display Driver: nouveau, OpenGL: 4.3 Mesa 21.2.6, Vulkan: 1.1.182, Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_cpufreq performance - CPU Microcode: 0x2f - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Mitigation of Clear buffers; SMT disabled + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Full generic retpoline IBPB: conditional IBRS_FW STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

AMD Phenom X3 8400

Processor: AMD Phenom 8400 Triple-Core @ 2.10GHz (3 Cores), Motherboard: ASUS NARRA3 v3.02 (5.10 BIOS), Chipset: NVIDIA MCP61, Memory: 3072MB, Disk: 2 x 320GB Western Digital WD3200AAJS-6 + 120GB KINGSTON SV300S3 + 80GB Hitachi HTS541680J9SA00, Graphics: ASUS NVIDIA NV86 512MB, Audio: Realtek ALC1200, Monitor: HP 27er

OS: Ubuntu 20.04, Kernel: 5.13.0-40-generic (x86_64), Display Server: X Server 1.20.13, Display Driver: nouveau, OpenGL: 3.3 Mesa 21.2.6, Vulkan: 1.1.182, Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq performance - CPU Microcode: 0x1000083
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Not affected + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of LFENCE STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Core i7 7500U

Processor: Intel Core i7-7500U @ 3.50GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20JH002SMX (R0HET39W 1.19 BIOS), Chipset: Intel Xeon E3-1200 v6/7th, Memory: 8GB, Disk: 256GB Western Digital WDS256G1X0C-00ENX0, Graphics: Intel HD 620 3GB (1050MHz), Audio: Conexant CX8200, Network: Intel I219-V + Intel 8265 / 8275

OS: Ubuntu 20.04, Kernel: 5.14.0-1032-oem (x86_64), Display Server: X Server 1.20.13, OpenGL: 4.6 Mesa 21.2.6, Vulkan: 1.2.182, Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate performance - CPU Microcode: 0xea - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

Core i5 6300U - Yoga 260

Processor: Intel Core i5-6300U @ 3.00GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20FE005GMN (N1GETA3W 1.82 BIOS), Chipset: Intel Xeon E3-1200 v5/E3-1500, Memory: 8GB, Disk: 256GB Western Digital WDS256G1X0C-00ENX0, Graphics: Intel Skylake GT2 [HD 520] 3GB (1000MHz), Audio: Conexant CX20753/4, Network: Intel I219-LM + Intel 8260

OS: Ubuntu 20.04, Kernel: 5.14.0-1032-oem (x86_64), Display Server: X Server 1.20.13, OpenGL: 4.6 Mesa 21.2.6, Vulkan: 1.2.182, Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 1366x768

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate performance - CPU Microcode: 0xea - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT vulnerable + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Mitigation of TSX disabled

AMD FX-8350-2

Processor: AMD FX-8350 Eight-Core (4 Cores / 8 Threads), Motherboard: ASUS SABERTOOTH 990FX/GEN3 R2.0 (2501 BIOS), Chipset: AMD RD9x0/RX980, Memory: 32GB, Disk: 120GB Corsair Force 3 + 512GB Crucial M4-CT512M4SSD2, Graphics: ASUS NVIDIA GeForce GTX 1050, Audio: Realtek ALC892, Monitor: HP 27er, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 22.04, Kernel: 5.15.0-25-generic (x86_64), Desktop: GNOME Shell 42.0, Display Server: X Server + Wayland, Display Driver: nouveau, Vulkan: 1.2.204, Compiler: GCC 11.2.0, File-System: ext4, Screen Resolution:

1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-cet --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-link-serialization=2 --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-11-gBFGDP/gcc-11-11.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-11-gBFGDP/gcc-11-11.2.0/debian/tmp-gcn/usr --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-build-config=bootstrap-lto-lean --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: CPU Microcode: 0x6000852
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Ryzen 5 5650U

Processor: AMD Ryzen 5 PRO 5650U @ 2.30GHz (6 Cores / 12 Threads), Motherboard: LENOVO 21A0004RMX (R1MET42W 1.12 BIOS), Chipset: AMD Renoir/Cezanne, Memory: 12GB, Disk: 512GB Micron MTFDHBA512TDV, Graphics: AMD Cezanne 4GB (1800/400MHz), Audio: AMD Renoir Radeon HD Audio, Network: 2 x Realtek RTL8111/8168/8411 + MEDIATEK MT7921 802.11ax PCI

OS: Ubuntu 22.04, Kernel: 5.15.0-25-generic (x86_64), Desktop: GNOME Shell 42.0, Display Server: X Server 1.21.1.3 + Wayland, OpenGL: 4.6 Mesa 22.0.1 (LLVM 13.0.1 DRM 3.42), Vulkan: 1.2.204, Compiler: GCC 11.2.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-cet --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-link-serialization=2 --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-11-gBFGDP/gcc-11-11.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-11-gBFGDP/gcc-11-11.2.0/debian/tmp-gcn/usr --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-build-config=bootstrap-lto-lean --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - Platform Profile: performance - CPU Microcode: 0xa50000c - ACPI Profile: performance
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional IBRS_FW STIBP: always-on RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Core i5 10500T

Processor: Intel Core i5-10500T @ 3.80GHz (6 Cores / 12 Threads), Motherboard: HP 8715 (S22 Ver. 02.04.01 BIOS), Chipset: Intel Comet Lake PCH, Memory: 16GB, Disk: 256GB Kioxia KBG40ZNV256G, Graphics: Intel CometLake-S GT2 [UHD 630] (1150MHz), Audio: Realtek ALC222, Monitor: HP 27er, Network: Intel

OS: Ubuntu 22.04, Kernel: 5.15.0-25-generic (x86_64), Desktop: GNOME Shell 42.0, Display Server: X Server + Wayland, Vulkan: 1.3.204, Compiler: GCC 11.2.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-cet --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-link-serialization=2 --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-11-gBFGDP/gcc-11-11.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-11-gBFGDP/gcc-11-11.2.0/debian/tmp-gcn/usr --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-build-config=bootstrap-lto-lean --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave (EPP: performance) - CPU Microcode: 0xea - Thermald 2.4.9
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced IBRS IBPB: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Celeron N3350-2

Processor: Intel Celeron N3350 @ 2.40GHz (2 Cores), Motherboard: AMI Aptio CRB (5.12 BIOS), Chipset: Intel Celeron

N3350/Pentium, Memory: 4096MB, Disk: 120GB KINGSTON SV300S3 + 15GB SanDisk 3.2Gen1, Graphics: Intel HD 500 APL 2 3GB (650MHz), Audio: Intel Celeron N3350/Pentium, Monitor: ASUS VN247, Network: 2 x Intel I211

OS: Ubuntu 20.04, Kernel: 5.13.0-40-generic (x86_64), Display Server: X Server 1.20.13, OpenGL: 4.6 Mesa 21.2.6, Vulkan: 1.2.182, Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_cpufreq performance - CPU Microcode: 0x44 - Thermald 1.9.1
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + spec_store_bypass: Not affected + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional IBRS_FW STIBP: disabled RSB filling + srbds: Not affected + tsx_async_abort: Not affected

Core i5 8400-2

Processor: Intel Core i5-8400 @ 4.00GHz (6 Cores), Motherboard: HP 84FD (F.26 BIOS), Chipset: Intel Cannon Lake PCH, Memory: 16GB, Disk: 500GB KINGSTON SA2000M8500G, Graphics: NVIDIA GeForce GTX 1060 6GB, Audio: Realtek ALC1220, Monitor: HP 27er, Network: Realtek RTL8111/8168/8411 + Realtek RTL8822BE 802.11a/b/g/n/ac

OS: Ubuntu 20.04, Kernel: 5.13.0-40-generic (x86_64), Desktop: GNOME Shell 3.36.9, Display Server: X Server 1.20.13, Display Driver: NVIDIA 510.60.02, OpenGL: 4.6.0, OpenCL: OpenCL 3.0 CUDA 11.6.127, Vulkan: 1.3.194, Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate powersave (EPP: balance_performance) - CPU Microcode: 0xea - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Mitigation of Clear buffers; SMT disabled + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional IBRS_FW STIBP: disabled RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Not affected

Core i3 6100U

Processor: Intel Core i3-6100U @ 2.30GHz (2 Cores / 4 Threads), Motherboard: LENOVO 20FMS1XX00 (R06ET69W 1.43 BIOS), Chipset: Intel Xeon E3-1200 v5/E3-1500, Memory: 3584MB, Disk: 120GB KINGSTON SV300S3, Graphics: Intel HD 520 SKL GT2 3GB (1000MHz), Audio: Realtek ALC293, Network: Intel I219-V + Intel 8260

OS: Ubuntu 20.04, Kernel: 5.13.0-41-generic (x86_64), Display Server: X Server 1.20.13, OpenGL: 4.6 Mesa 21.2.6, Vulkan: 1.2.182, Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 1366x768

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_pstate performance (EPP: performance) - CPU Microcode: 0xea - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Mitigation of Clear buffers; SMT vulnerable + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional IBRS_FW STIBP: conditional RSB filling + srbds: Mitigation of Microcode + tsx_async_abort: Mitigation of Clear buffers; SMT vulnerable


Core i5 3570K


Processor: Intel Core i5-3570K @ 3.80GHz (4 Cores), Motherboard: MSI B75MA-S01 (MS-7798) v4.0 (V1.4B7 BIOS),

Chipset: Intel Xeon E3-1200 v2/3rd, Memory: 8GB, Disk: 120GB KINGSTON SV300S3, Graphics: llvmpipe, Audio: Realtek ALC887-VD, Monitor: ASUS VN247, Network: Realtek RTL8111/8168/8411


OS: Ubuntu 20.04, Kernel: 5.13.0-44-generic (x86_64), Display Server: X Server 1.20.13, OpenGL: 4.5 Mesa 21.2.6 (LLVM 12.0.0 256 bits), Vulkan: 1.1.182, Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 1920x1080

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: intel_cpufreq performance - CPU Microcode: 0x21 - Thermald 1.9.1
Security Notes: itlb_multihit: KVM: Mitigation of VMX disabled + l1tf: Mitigation of PTE Inversion; VMX: conditional cache flushes SMT disabled + mds: Mitigation of Clear buffers; SMT disabled + meltdown: Mitigation of PTI + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional IBRS_FW STIBP: disabled RSB filling + srbds: Vulnerable: No microcode + tsx_async_abort: Not affected






Rodinia - OpenMP CFD Solver (sec)
Normalized


Standard Deviation


Rodinia - OpenMP LavaMD (sec)
Normalized
%


Standard Deviation


Timed Linux Kernel Compilation - Time To Compile (sec)



Phoronix Test Suite
Phoronix Test Suite


TSIOD 3D Renderer - P.R.W.S.S.M (FPS)
Normalized


S CCECCCCCCCC1CCCCCCCCCCCC1CCCC 1 CCC 222CCC CC3C191 1C3E5CC7CCCCCCO
t ......9.....9..... . ...9.....
a 139534 211312154433 256633124 9 633 344325 2443889 243 151433455471
n 999999 9999999999 999999999 9 999 999999 9999999 999 9999999999%
d
a
r
d
D
e
v
i
a
ti
o
n


Phoronix Test Suite
Ashift - 1.HM.2.D (Nodes/s)
Normalized


Standard Deviation



OpenSSL - RSA 4096-bit Private Signs/sec
Numa allized


Standard Deviation


7-Zip Compression - C.S.T (MIPS)
Normalized


S	C31CCCCCCCC1CCC1 CCCC2111CC1CC121CCC2CC41222C31 22 2221C112C2CCCCC2C11
t	. . . . . 9 . . . . . 9 . . . . %
a	2549757365125316 122938 741296 437374259252439 43 52 1311964734253 47
n	9999999999999999 999999 999999 9999999999999999 99 99 9999999999999999
d	
a	
r	
d	
D	
e	
v	
i	
a	
ti	
o	
n	


Fhourstones-C.C.4.S (Kpos/sec)
Normalized



Standard Deviation
C C C



TSCP - A.C.P (Nodes/s)
Normalized


S C C C



Timed PHP Compilation - Time To Compile (sec)
Normalized

Standard Deviation





AOBench 2048x2048 - Total Time (sec)
Normalized



Standard Deviation


FLAC Audio Encoding-WAV To FLAC (sec)
Normalized


Standard Deviation


LAME MP3 Encoding - WAV To MP3 (sec)
Number of Threads - Limited


S C C C C C C C 1 C C C C C C C C C C C C C C C C 7 C C C C C C C 1 C C C C C C C C C C C C C C C C


Stockfish - Total Time (Nodes/s)
Normalized


Standard Deviation



Zstd Compression - Cu.10.3.si.i.C.L.1 (sec)

N	1454526	745568 816	6894487674775755	5675511646161666	3686666655671756
o	3757658	137792 1C1	44599C16276663l4	5866652984949411	24217.88C567929
r	.....	..... .C.	.....	.....	.....1.....
m	7153199	484896 397	9C27564643397866	77CC475C821873	6571318332350491
a	4769877	367934 9 3	4345953769424266	1254279181998B	59158978412282l
li	9999999	999 99 9	9999 999999999	999999 999 99	99999 99999999%
S	CCCCCCC	CCCCCC CCC	CCC32CCC1CCCCCC	CCCCC38CCCCCC1	CCCCCCCCCCCCCCO
t	.....	.9.... .9.	....9...9.....	.....	.....
a	2311211	2 1322 2 3	7343 424 752353	1152351411327l	5117171418638l6
n	9999999	9 9999 9 9	9999 999 999999	99999999999999	999999999999999%
d					
a					
r					
d					
D					
e					
v					
i					
a					
ti					
o					
n					



m-queens-Timeto Solve (sec)
Normalized

Standard Deviation



Tinymembench--Standard Memcpy (MB/s)
Normalized


PolyBench-C-3.M.M (sec)
Normalized


Standard Deviation


Poly Benchmarks (sec)
Normalized


Standard Deviation


Poly Bench-C-C.C (sec)
Normalized


Standard Deviation



Scimark-Composite (Mflops)
Normalized


Standard Deviation



tinymembench--Standard Memcpy-Standard Memset (MB/s)


N 5111111 374124 411 26
o .434616 1.8935 109 05
r 2..... .1.... .0. ..
m 4370949 936084 095 58
a 9188726 896389 7 2 32
li 999999 9 9999 9 9 99
z
e
d



Tinymembench -- Standard Memset (MB/s)
Normalized



Rodinia 2.4
Test: OpenMP CFD Solver
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.21, N = 15
23.65
AMD A10-5800K
SE +/- 0.47, N = 3
130.06
AMD A10-7800
SE +/- 0.00, N = 3
139.20
AMD A10-7870K
SE +/- 0.12, N = 3
119.94
AMD A6-7400K
SE +/- 0.44, N = 3
248.07
AMD Athlon II X3 425
SE +/- 0.05, N = 3
234.93
AMD E-350
SE +/- 0.44, N = 3
685.06
AMD FX-8350
SE +/- 0.10, N = 3
70.46
AMD Phenom X3 8400
SE +/- 0.15, N = 3
400.81
Acer CB 315 - A4 9120C
SE +/- 18.19, N = 9
617.94
Celeron N3350-2
SE +/- 1.28, N = 3
353.41
Core i3 2100
SE +/- 0.05, N = 3
155.79
Core i3 6100U
SE +/- 0.33, N = 3
150.89
Core i3 7100U
SE +/- 0.96, N = 3
136.88
Core i3 8130U
SE +/- 0.18, N = 3
102.34
Core i5 2400
SE +/- 0.19, N = 3
117.56
Core i5 2400S
SE +/- 0.14, N = 3
114.38
Core i5 3470T
SE +/- 0.50, N = 3
145.33
Core i5 3570K
SE +/- 0.17, N = 3
89.46
Core i5 5300U
SE +/- 1.22, N = 7
130.79
Core i5 6300U
SE +/- 0.16, N = 3
109.70
Core i5 6300U - Yoga 260
SE +/- 3.04, N = 3
260.46
Core i5 7500T
SE +/- 0.04, N = 3
72.68
Core i5 7600K
SE +/- 0.04, N = 3
59.91
Core i5 8250U
SE +/- 0.13, N = 3
71.65
Core i5 8265U
SE +/- 0.22, N = 3
60.19
Core i5 8400
SE +/- 0.02, N = 3
35.98
Core i5 8500T
SE +/- 0.78, N = 3
53.72
Core i7 4600U
SE +/- 1.43, N = 7
160.89
Core i7 5960X
SE +/- 0.02, N = 3
33.82
Core i7 7500U
SE +/- 0.87, N = 15
111.01
Core i7 7740X
SE +/- 0.03, N = 3
39.02
Core i7 8665U
SE +/- 0.65, N = 3
117.23
Core i7 870
91.46



Rodinia 2.4
Test: OpenMP LavaMD
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.04, N = 3
24.34
AMD A10-5800K
SE +/- 10.03, N = 5
706.40
AMD A10-7800
SE +/- 0.89, N = 3
450.17
AMD A10-7870K
SE +/- 0.53, N = 3
402.61
AMD A6-7400K
SE +/- 0.21, N = 3
801.68
AMD Athlon II X3 425
SE +/- 0.78, N = 3
769.77
AMD E-350
SE +/- 0.27, N = 3
2807.54
AMD FX-8350
SE +/- 0.70, N = 3
214.71
AMD Phenom X3 8400
SE +/- 9.00, N = 9
499.77
Acer CB 315 - A4 9120C
SE +/- 13.27, N = 3
1039.01
Celeron N3350-2
SE +/- 0.93, N = 3
585.85
Core i3 2100
SE +/- 0.52, N = 3
534.96
Core i3 6100U
SE +/- 1.09, N = 3
251.97
Core i3 7100U
SE +/- 0.67, N = 3
215.21
Core i3 8130U
SE +/- 0.40, N = 3
173.44
Core i5 2400
SE +/- 0.44, N = 3
228.03
Core i5 2400S
SE +/- 0.42, N = 3
494.97
Core i5 3470T
SE +/- 0.10, N = 3
276.03
Core i5 3570K
SE +/- 0.26, N = 3
192.74
Core i5 5300U
SE +/- 0.01, N = 3
236.52
Core i5 6300U
SE +/- 4.16, N = 12
181.53
Core i5 6300U - Yoga 260
SE +/- 1.26, N = 3
220.64
Core i5 7500T
SE +/- 0.55, N = 3
116.22
Core i5 7600K
SE +/- 2.39, N = 3
194.22
Core i5 8250U
SE +/- 0.66, N = 3
107.20
Core i5 8265U
SE +/- 0.43, N = 3
98.98
Core i5 8400
SE +/- 0.19, N = 3
130.15
Core i5 8500T
SE +/- 0.20, N = 3
74.94
Core i7 4600U
SE +/- 0.97, N = 3
256.06
Core i7 5960X
SE +/- 0.07, N = 3
108.14
Core i7 7500U
SE +/- 1.79, N = 3
176.04
Core i7 7740X
SE +/- 1.07, N = 3
145.66
Core i7 8665U
SE +/- 1.13, N = 3
120.01
Core i7 870
350.74



Timed Linux Kernel Compilation 4.13
Time To Compile
Seconds, Fewer Is Better
AMD A10-5800K
SE +/- 1.99, N = 3
481.45
AMD A10-7800
SE +/- 1.44, N = 3
338.91
AMD A10-7870K
SE +/- 1.49, N = 3
299.12
AMD A6-7400K
SE +/- 1.45, N = 3
683.51
AMD Athlon II X3 425
SE +/- 1.87, N = 3
512.50
AMD E-350
SE +/- 5.35, N = 3
2384.11
AMD FX-8350
SE +/- 1.38, N = 3
167.36
Core i3 2100
SE +/- 1.44, N = 3
439.59
Core i5 2400S
SE +/- 1.03, N = 3
304.65
Core i5 7600K
SE +/- 0.72, N = 3
157.39
Core i5 8400
SE +/- 0.73, N = 3
112.25
Core i7 5960X
SE +/- 1.15, N = 3
88.77
Core i7 7740X
SE +/- 0.59, N = 3
106.27
Core i7 870
SE +/- 0.89, N = 3
235.76
Core i7 8700K
SE +/- 0.61, N = 3
80.99
Core i7 990X
SE +/- 2.07, N = 3
155.68
Core i9 7900X
SE +/- 0.75, N = 3
55.89
Core i9 7980XE
SE +/- 0.69, N = 3
35.83
Intel Core 2 Duo E8400
SE +/- 1.39, N = 3
625.40
Lenovo Duet Helio P60T
SE +/- 7.49, N = 3
1443.48
Pentium G3258
SE +/- 1.29, N = 3
420.67
Ryzen 5 2400G
SE +/- 1.01, N = 3
159.98
Ryzen 5 2600
SE +/- 0.77, N = 3
104.66
Ryzen 5 2600X
SE +/- 0.73, N = 3
94.85
Ryzen 7 1700
SE +/- 0.87, N = 3
94.71
Ryzen 7 1800X
SE +/- 0.70, N = 3
84.32
Ryzen 7 2700
SE +/- 0.85, N = 3
87.45
Ryzen 7 2700X
SE +/- 0.67, N = 3
77.00
Ryzen Threadripper 1950X
SE +/- 0.78, N = 3
47.14
500
1000
1500
2000
2500



TTSIOD 3D Renderer 2.3a
Phong Rendering With Soft-Shadow Mapping
FPS, More Is Better
2 x E5-2667v3
SE +/- 5.26, N = 3
467.73
AMD A10-5800K
SE +/- 2.30, N = 6
63.42
AMD A10-7800
SE +/- 0.22, N = 3
71.47
AMD A10-7870K
SE +/- 0.15, N = 3
86.68
AMD A6-7400K
SE +/- 0.07, N = 3
39.95
AMD Athlon II X3 425
SE +/- 0.10, N = 3
45.60
AMD E-350
SE +/- 0.01, N = 3
14.22
AMD FX-8350
SE +/- 0.04, N = 3
172.16
AMD FX-8350-2
SE +/- 0.27, N = 3
174.53
AMD Phenom X3 8400
SE +/- 0.04, N = 3
14.28
AMD Ryzen 7 5700U
SE +/- 3.97, N = 15
256.11
Acer CB 315 - A4 9120C
SE +/- 0.04, N = 3
14.23
Celeron N3350
SE +/- 0.04, N = 3
21.45
Celeron N3350-2
SE +/- 0.06, N = 3
22.82
Core i3 2100
SE +/- 0.15, N = 3
75.98
Core i3 6100U
SE +/- 0.26, N = 3
64.05
Core i3 7100U
SE +/- 0.11, N = 3
73.80
Core i3 8130U
SE +/- 1.13, N = 4
95.95
Core i5 10310U
SE +/- 1.68, N = 15
194.52
Core i5 10500T
SE +/- 0.93, N = 3
309.28
Core i5 2400
SE +/- 1.73, N = 12
118.55
Core i5 2400S
SE +/- 0.02, N = 3
104.26
Core i5 3570K
SE +/- 0.10, N = 3
141.43
Core i5 5300U
SE +/- 2.12, N = 12
74.62
Core i5 6300U
SE +/- 0.19, N = 3
89.52
Core i5 6300U - Yoga 260
SE +/- 1.02, N = 12
47.88
Core i5 7500T
SE +/- 0.24, N = 3
152.18
Core i5 7600K
SE +/- 0.28, N = 3
196.10
Core i5 8250U
SE +/- 1.05, N = 12
155.90
Core i5 8265U
SE +/- 2.36, N = 3
167.07
Core i5 8400
SE +/- 0.79, N = 3
272.54
Core i5 8400-2
SE +/- 0.64, N = 3
278.23
Core i7 4600U
SE +/- 0.78, N = 3
72.03
Core i7 5600U
83.87



asmFish 2017-09-19
1024 Hash Memory, 26 Depth
Nodes/second, More Is Better
2 x E5-2667v3
SE +/- 35645.21, N = 3
40303759
AMD A10-5800K
SE +/- 31196.05, N = 3
3706439
AMD A10-7800
SE +/- 75485.87, N = 3
5458760
AMD A10-7870K
SE +/- 53453.90, N = 3
6190767
AMD A6-7400K
SE +/- 35368.27, N = 3
2849304
AMD Athlon II X3 425
SE +/- 42852.22, N = 3
3787513
AMD E-350
SE +/- 10544.91, N = 3
1108041
AMD FX-8350
SE +/- 109295.47, N = 3
11736634
AMD FX-8350-2
SE +/- 93858.88, N = 3
12144353
AMD Phenom X3 8400
SE +/- 1336.02, N = 3
1525928
AMD Ryzen 7 5700U
SE +/- 168080.08, N = 7
18198434
Acer CB 315 - A4 9120C
SE +/- 3972.84, N = 3
859927
Celeron N3350
SE +/- 9386.33, N = 3
1461601
Celeron N3350-2
SE +/- 13566.30, N = 3
1633876
Core i3 2100
SE +/- 36398.93, N = 3
4761682
Core i3 6100U
SE +/- 30632.59, N = 3
3488842
Core i3 7100U
SE +/- 36955.84, N = 3
4041270
Core i3 8130U
SE +/- 61864.03, N = 4
5138357
Core i5 10310U
SE +/- 63179.51, N = 3
10873105
Core i5 10500T
SE +/- 64354.07, N = 3
17862380
Core i5 2400
SE +/- 22788.00, N = 3
7492053
Core i5 2400S
SE +/- 13255.17, N = 3
6626047
Core i5 3470T
SE +/- 38305.75, N = 3
4535467
Core i5 3570K
SE +/- 36002.84, N = 3
8184189
Core i5 5300U
SE +/- 3060.81, N = 3
4091300
Core i5 6300U
SE +/- 40303.53, N = 3
4835456
Core i5 6300U - Yoga 260
SE +/- 38044.72, N = 3
3775051
Core i5 7500T
SE +/- 73983.78, N = 3
7983701
Core i5 7600K
SE +/- 52643.16, N = 3
10388221
Core i5 8250U
SE +/- 62934.45, N = 3
8556762
Core i5 8265U
SE +/- 29035.70, N = 3
9240916
Core i5 8400
SE +/- 87164.66, N = 3
15916013
Core i5 8400-2
SE +/- 68623.98, N = 3
14635001
Core i5 8500T
12550297



OpenSSL 1.1.0f
RSA 4096-bit Performance
Signs Per Second, More Is Better
AMD A10-5800K
SE +/- 10.97, N = 6
266.55
AMD A10-7800
SE +/- 1.88, N = 3
300.43
AMD A10-7870K
SE +/- 2.42, N = 3
338.53
AMD A6-7400K
SE +/- 1.27, N = 3
170.03
AMD Athlon II X3 425
SE +/- 0.12, N = 3
232.80
AMD E-350
SE +/- 0.10, N = 3
62.70
AMD FX-8350
SE +/- 0.35, N = 3
705.73
Acer CB 315 - A4 9120C
SE +/- 0.85, N = 4
72.70
Core i3 2100
SE +/- 0.07, N = 3
235.47
Core i5 2400S
SE +/- 0.10, N = 3
359.20
Core i5 3470T
SE +/- 0.40, N = 3
254.00
Core i5 7600K
SE +/- 15.07, N = 3
1147.03
Core i5 8400
SE +/- 25.37, N = 3
1644.63
Core i5 8500T
SE +/- 10.58, N = 3
1160.47
Core i7 5960X
SE +/- 0.39, N = 3
1202.83
Core i7 7740X
SE +/- 1.64, N = 3
1366.57
Core i7 870
SE +/- 1.97, N = 3
305.07
Core i7 8700K
SE +/- 0.46, N = 3
1979.90
Core i7 990X
SE +/- 0.00, N = 3
526.20
Core i9 7900X
SE +/- 9.10, N = 3
3036.83
Core i9 7980XE
SE +/- 9.45, N = 3
4689.40
Intel Core 2 Duo E8400
SE +/- 0.06, N = 3
125.80
Pentium G3258
SE +/- 1.46, N = 3
286.00
Ryzen 5 2400G
SE +/- 0.82, N = 3
812.17
Ryzen 5 2600
SE +/- 0.21, N = 3
1164.30
Ryzen 5 2600X
SE +/- 2.17, N = 3
1299.73
Ryzen 7 1700
SE +/- 0.13, N = 3
1381.53
Ryzen 7 1800X
SE +/- 0.35, N = 3
1595.03
Ryzen 7 2700
SE +/- 2.29, N = 3
1473.10
Ryzen 7 2700X
SE +/- 0.18, N = 3
1725.03
Ryzen Threadripper 1950X
SE +/- 1.34, N = 3
3000.23
Willow16C
SE +/- 56.99, N = 12
Willow6C
SE +/- 2.46, N = 3
794.37
i5 3470T 10GB



7-Zip Compression 16.02
Compress Speed Test
MIPS, More Is Better
2 x E5-2667v3
SE +/- 271.98, N = 3
67837
AMD A10-5800K
SE +/- 125.33, N = 6
8859
AMD A10-7800
SE +/- 80.08, N = 3
10182
AMD A10-7870K
SE +/- 60.00, N = 3
11643
AMD A6-7400K
SE +/- 6.06, N = 3
4844
AMD Athlon II X3 425
SE +/- 19.36, N = 3
4496
AMD FX-8350
SE +/- 69.97, N = 3
22402
AMD FX-8350-2
SE +/- 51.78, N = 3
22936
AMD Phenom X3 8400
SE +/- 13.70, N = 9
1709
AMD Ryzen 7 5700U
SE +/- 260.54, N = 13
31979
Acer CB 315 - A4 9120C
SE +/- 19.13, N = 14
1855
Celeron N3350-2
SE +/- 35.75, N = 4
3055
Core i3 2100
8594
Core i3 6100U
SE +/- 68.72, N = 3
7141
Core i3 7100U
SE +/- 22.52, N = 3
7368
Core i3 8130U
SE +/- 118.20, N = 5
10666
Core i5 10310U
SE +/- 136.54, N = 3
20871
Core i5 10500T
SE +/- 83.80, N = 3
27558
Core i5 2400
SE +/- 41.58, N = 3
12427
Core i5 2400S
SE +/- 8.14, N = 3
10608
Core i5 3470T
SE +/- 55.25, N = 3
9341
Core i5 3570K
SE +/- 87.58, N = 3
14571
Core i5 5300U
SE +/- 91.66, N = 4
8305
Core i5 6300U
SE +/- 55.66, N = 3
8965
Core i5 6300U - Yoga 260
SE +/- 11.46, N = 3
7284
Core i5 7500T
SE +/- 16.17, N = 3
13645
Core i5 7600K
SE +/- 17.70, N = 3
17439
Core i5 8250U
SE +/- 108.81, N = 3
15501
Core i5 8265U
SE +/- 231.97, N = 3
18312
Core i5 8400
SE +/- 29.37, N = 3
27837
Core i5 8400-2
SE +/- 57.12, N = 3
23573
Core i5 8500T
SE +/- 74.50, N = 3
20369
Core i7 4600
SE +/- 99.28, N = 3
8651
Core i7 5600U
9577



Fhourstones 3.1
Complex Connect-4 Solving
Kpos / sec, More Is Better
2 x E5-2667v3
SE +/- 31.75, N = 3
10261.0
AMD A10-5800K
SE +/- 12.35, N = 3
9614.0
AMD A10-7800
SE +/- 7.00, N = 3
8087.0
AMD A10-7870K
SE +/- 8.16, N = 3
9214.0
AMD A6-7400K
SE +/- 28.31, N = 3
8727.0
AMD Athlon II X3 425
SE +/- 2.78, N = 3
7061.0
AMD E-350
SE +/- 1.73, N = 3
3373.0
AMD FX-8350
SE +/- 8.24, N = 3
10245.0
AMD FX-8350-2
SE +/- 3.10, N = 3
9847.9
AMD Phenom X3 8400
SE +/- 4.86, N = 3
3108.5
AMD Ryzen 7 5700U
SE +/- 19.96, N = 3
12464.0
Acer CB 315 - A4 9120C
SE +/- 9.50, N = 3
3864.3
Celeron N3350
SE +/- 3.32, N = 3
5748.6
Celeron N3350-2
SE +/- 5.87, N = 3
5163.3
Core i3 2100
SE +/- 21.16, N = 3
9203.0
Core i3 6100U
SE +/- 4.42, N = 3
7567.2
Core i3 7100U
SE +/- 7.04, N = 3
7950.9
Core i3 8130U
SE +/- 79.21, N = 3
10312.4
Core i5 10310U
SE +/- 0.84, N = 3
13080.4
Core i5 10500T
SE +/- 41.32, N = 3
12986.1
Core i5 2400
SE +/- 21.68, N = 3
10119.9
Core i5 2400S
SE +/- 13.95, N = 3
10274.0
Core i5 3470T
SE +/- 28.07, N = 3
10410.0
Core i5 3570K
SE +/- 10.42, N = 3
11219.7
Core i5 5300U
SE +/- 18.64, N = 3
10033.7
Core i5 6300U
SE +/- 4.26, N = 3
9313.0
Core i5 6300U - Yoga 260
SE +/- 21.62, N = 3
8804.0
Core i5 7500T
SE +/- 10.19, N = 3
10717.5
Core i5 7600K
SE +/- 7.35, N = 3
13619.0
Core i5 8250U
SE +/- 9.06, N = 3
10241.9
Core i5 8265U
SE +/- 13.62, N = 3
11353.4
Core i5 8400
SE +/- 69.18, N = 3
14366.0
Core i5 8400-2
SE +/- 35.95, N = 3
12620.4
Core i5 8500T
11695.0



TSCP 1.81
AI Chess Performance
Nodes Per Second, More Is Better
2 x E5-2667v3
SE +/- 1481.44, N = 5
1165922
AMD A10-5800K
SE +/- 221.43, N = 5
705583
AMD A10-7800
SE +/- 301.36, N = 5
665834
AMD A10-7870K
SE +/- 900.69, N = 5
745306
AMD A6-7400K
SE +/- 509.45, N = 5
741690
AMD Athlon II X3 425
SE +/- 879.21, N = 5
546087
AMD E-350
SE +/- 109.83, N = 5
322243
AMD FX-8350
SE +/- 467.11, N = 5
710132
AMD FX-8350-2
SE +/- 489.39, N = 5
727196
AMD Phenom X3 8400
SE +/- 489.00, N = 5
409929
AMD Ryzen 7 5700U
SE +/- 6056.60, N = 5
1312738
Acer CB 315 - A4 9120C
SE +/- 1282.35, N = 5
436863
Celeron N3350
SE +/- 1358.02, N = 5
455958
Celeron N3350-2
SE +/- 2228.82, N = 5
453732
Core i3 2100
874250
Core i3 6100U
SE +/- 1675.25, N = 5
665851
Core i3 7100U
SE +/- 1059.35, N = 5
695082
Core i3 8130U
SE +/- 695.05, N = 5
977598
Core i5 10310U
SE +/- 1060.01, N = 5
1249500
Core i5 10500T
SE +/- 1380.45, N = 5
1176882
Core i5 2400
SE +/- 802.84, N = 5
931000
Core i5 2400S
SE +/- 312.80, N = 5
927548
Core i5 3470T
SE +/- 7407.83, N = 5
937573
Core i5 3570K
SE +/- 2423.23, N = 5
1051928
Core i5 5300U
SE +/- 2861.53, N = 5
940892
Core i5 6300U
SE +/- 1969.51, N = 5
861685
Core i5 6300U - Yoga 260
SE +/- 9116.87, N = 5
828892
Core i5 7500T
SE +/- 616.95, N = 5
953234
Core i5 7600K
SE +/- 1669.82, N = 5
1370784
Core i5 8250U
SE +/- 715.40, N = 5
991322
Core i5 8265U
SE +/- 2210.35, N = 5
1123595
Core i5 8400
SE +/- 738.28, N = 5
1288070
Core i5 8400-2
SE +/- 2880.74, N = 5
1159561
Core i5 8500T
1029108



Timed PHP Compilation 7.1.9
Time To Compile
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.24, N = 3
71.83
AMD A10-5800K
SE +/- 7.03, N = 6
263.28
AMD A10-7800
SE +/- 0.19, N = 3
216.31
AMD A10-7870K
SE +/- 0.08, N = 3
189.62
AMD A6-7400K
SE +/- 0.34, N = 3
402.92
AMD Athlon II X3 425
SE +/- 0.25, N = 3
324.71
AMD E-350
SE +/- 0.07, N = 3
1271.67
AMD FX-8350
SE +/- 0.18, N = 3
108.49
AMD FX-8350-2
SE +/- 0.44, N = 3
121.63
AMD Phenom X3 8400
SE +/- 1.20, N = 3
728.27
AMD Ryzen 7 5700U
SE +/- 0.71, N = 15
85.02
Acer CB 315 - A4 9120C
SE +/- 1.30, N = 3
1428.50
Celeron N3350
SE +/- 39.50, N = 6
740.35
Celeron N3350-2
SE +/- 1.15, N = 3
720.24
Core i3 2100
SE +/- 0.09, N = 3
254.80
Core i3 6100U
SE +/- 0.56, N = 3
319.22
Core i3 7100U
SE +/- 0.17, N = 3
278.50
Core i3 8130U
SE +/- 0.67, N = 3
218.48
Core i5 10310U
SE +/- 0.76, N = 3
114.40
Core i5 10500T
SE +/- 0.23, N = 3
88.46
Core i5 2400
SE +/- 0.14, N = 3
184.32
Core i5 2400S
SE +/- 0.15, N = 3
178.95
Core i5 3470T
SE +/- 0.34, N = 3
319.86
Core i5 3570K
SE +/- 0.34, N = 3
168.81
Core i5 5300U
SE +/- 0.39, N = 3
282.27
Core i5 6300U
SE +/- 0.59, N = 3
231.10
Core i5 6300U - Yoga 260
SE +/- 1.26, N = 3
288.84
Core i5 7500T
SE +/- 0.21, N = 3
145.72
Core i5 7600K
SE +/- 0.07, N = 3
103.82
Core i5 8250U
SE +/- 0.50, N = 3
144.68
Core i5 8265U
SE +/- 0.52, N = 3
135.06
Core i5 8400
SE +/- 0.12, N = 3
69.43
Core i5 8400-2
SE +/- 0.14, N = 3
92.87
Core i5 8500T
140.70



AOBench
Size: 2048 x 2048 - Total Time
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.06, N = 3
39.66
AMD A10-5800K
SE +/- 0.28, N = 3
67.62
AMD A10-7800
SE +/- 0.07, N = 3
80.87
AMD A10-7870K
SE +/- 0.15, N = 3
72.57
AMD A6-7400K
SE +/- 0.04, N = 3
72.53
AMD Athlon II X3 425
SE +/- 0.09, N = 3
112.62
AMD E-350
SE +/- 1.24, N = 3
256.20
AMD FX-8350
SE +/- 0.01, N = 3
66.91
AMD FX-8350-2
SE +/- 0.08, N = 3
61.49
AMD Phenom X3 8400
SE +/- 0.34, N = 3
141.98
AMD Ryzen 7 5700U
SE +/- 0.04, N = 3
31.46
Acer CB 315 - A4 9120C
SE +/- 1.38, N = 3
144.56
Celeron N3350
SE +/- 0.20, N = 3
106.61
Celeron N3350-2
SE +/- 0.22, N = 3
114.05
Core i3 2100
SE +/- 0.06, N = 3
58.42
Core i3 6100U
SE +/- 0.03, N = 3
62.35
Core i3 7100U
SE +/- 0.07, N = 3
59.44
Core i3 8130U
SE +/- 0.06, N = 3
42.51
Core i5 10310U
SE +/- 0.03, N = 3
32.98
Core i5 10500T
SE +/- 0.25, N = 3
36.49
Core i5 2400
SE +/- 0.11, N = 3
47.77
Core i5 2400S
SE +/- 0.09, N = 3
55.56
Core i5 3470T
SE +/- 0.17, N = 3
52.22
Core i5 3570K
SE +/- 0.41, N = 5
40.87
Core i5 5300U
SE +/- 0.05, N = 3
46.24
Core i5 6300U
SE +/- 0.04, N = 3
47.93
Core i5 6300U - Yoga 260
SE +/- 0.21, N = 3
49.81
Core i5 7500T
SE +/- 0.01, N = 3
42.73
Core i5 7600K
SE +/- 0.01, N = 3
35.72
Core i5 8250U
SE +/- 0.08, N = 3
41.58
Core i5 8265U
SE +/- 0.02, N = 3
36.69
Core i5 8400
SE +/- 0.10, N = 3
39.19
Core i5 8400-2
SE +/- 0.05, N = 3
35.35
Core i5 8500T
37.85



FLAC Audio Encoding 1.3.2
WAV To FLAC
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.083, N = 5
13.055
AMD A10-5800K
SE +/- 0.030, N = 5
16.070
AMD A10-7800
SE +/- 0.040, N = 5
18.690
AMD A10-7870K
SE +/- 0.055, N = 5
16.880
AMD A6-7400K
SE +/- 0.032, N = 5
17.010
AMD Athlon II X3 425
SE +/- 0.024, N = 5
25.600
AMD E-350
SE +/- 0.007, N = 5
94.360
AMD FX-8350
SE +/- 0.025, N = 5
16.030
AMD FX-8350-2
SE +/- 0.154, N = 5
19.347
AMD Phenom X3 8400
SE +/- 0.102, N = 5
37.922
AMD Ryzen 7 5700U
SE +/- 0.017, N = 5
7.712
Acer CB 315 - A4 9120C
SE +/- 0.259, N = 5
37.083
Celeron N3350
SE +/- 0.097, N = 5
27.286
Celeron N3350-2
SE +/- 0.113, N = 5
28.401
Core i3 2100
SE +/- 0.046, N = 5
15.730
Core i3 6100U
SE +/- 0.078, N = 5
18.187
Core i3 7100U
SE +/- 0.115, N = 5
15.863
Core i3 8130U
SE +/- 0.073, N = 5
12.627
Core i5 10310U
SE +/- 0.003, N = 5
8.718
Core i5 10500T
SE +/- 0.009, N = 5
9.330
Core i5 2400
SE +/- 0.085, N = 5
15.933
Core i5 2400S
SE +/- 0.045, N = 5
14.860
Core i5 3470T
SE +/- 0.091, N = 5
15.000
Core i5 3570K
SE +/- 0.073, N = 5
13.045
Core i5 5300U
SE +/- 0.095, N = 5
15.866
Core i5 6300U
SE +/- 0.050, N = 5
12.918
Core i5 6300U - Yoga 260
SE +/- 0.071, N = 5
13.422
Core i5 7500T
SE +/- 0.038, N = 5
11.655
Core i5 7600K
SE +/- 0.021, N = 5
8.520
Core i5 8250U
SE +/- 0.007, N = 5
11.045
Core i5 8265U
SE +/- 0.011, N = 5
9.889
Core i5 8400
SE +/- 0.011, N = 5
8.530
Core i5 8400-2
SE +/- 0.022, N = 5
9.465
Core i5 8500T
11.330



LAME MP3 Encoding 3.100
WAV To MP3
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.005, N = 3
35.941
AMD A10-5800K
SE +/- 0.010, N = 3
13.370
AMD A10-7800
SE +/- 0.022, N = 3
15.190
AMD A10-7870K
SE +/- 0.027, N = 3
13.570
AMD A6-7400K
SE +/- 0.038, N = 3
13.540
AMD Athlon II X3 425
SE +/- 0.008, N = 3
22.340
AMD E-350
SE +/- 0.053, N = 3
46.260
AMD FX-8350
SE +/- 0.013, N = 3
13.300
AMD FX-8350-2
SE +/- 0.027, N = 3
46.185
AMD Phenom X3 8400
SE +/- 0.120, N = 3
104.898
AMD Ryzen 7 5700U
SE +/- 0.011, N = 3
25.657
Acer CB 315 - A4 9120C
SE +/- 0.666, N = 3
129.819
Celeron N3350
SE +/- 0.098, N = 3
83.420
Celeron N3350-2
SE +/- 0.241, N = 3
84.921
Core i3 2100
SE +/- 0.009, N = 3
14.080
Core i3 6100U
SE +/- 0.037, N = 3
53.682
Core i3 7100U
SE +/- 0.017, N = 3
51.672
Core i3 8130U
SE +/- 0.030, N = 3
36.638
Core i5 10310U
SE +/- 0.030, N = 3
28.483
Core i5 10500T
SE +/- 0.005, N = 3
31.863
Core i5 2400
SE +/- 0.207, N = 3
42.113
Core i5 2400S
SE +/- 0.005, N = 3
13.270
Core i5 3470T
SE +/- 0.072, N = 3
11.830
Core i5 3570K
SE +/- 0.027, N = 3
35.097
Core i5 5300U
SE +/- 0.018, N = 3
42.927
Core i5 6300U
SE +/- 0.082, N = 3
41.248
Core i5 6300U - Yoga 260
SE +/- 0.132, N = 3
43.656
Core i5 7500T
SE +/- 0.003, N = 3
37.276
Core i5 7600K
SE +/- 0.009, N = 3
8.950
Core i5 8250U
SE +/- 0.082, N = 3
35.887
Core i5 8265U
SE +/- 0.025, N = 3
31.818
Core i5 8400
SE +/- 0.004, N = 3
9.040
Core i5 8400-2
SE +/- 0.017, N = 3
30.657
Core i5 8500T
10.530



Stockfish 9
Total Time
Nodes Per Second, More Is Better
2 x E5-2667v3
SE +/- 368313.17, N = 3
34962607
AMD A10-5800K
SE +/- 110500.40, N = 6
3110648
AMD A10-7800
SE +/- 52988.21, N = 3
5147353
AMD A10-7870K
SE +/- 22419.28, N = 3
5793041
AMD A6-7400K
SE +/- 7276.85, N = 3
2634622
AMD Athlon II X3 425
SE +/- 27900.30, N = 3
3340855
AMD E-350
SE +/- 934.89, N = 3
721156
AMD FX-8350
SE +/- 16238.24, N = 3
10229160
AMD FX-8350-2
SE +/- 100253.17, N = 3
10782578
AMD Phenom X3 8400
SE +/- 4434.09, N = 3
1277441
AMD Ryzen 7 5700U
SE +/- 134443.53, N = 12
15871801
Acer CB 315 - A4 9120C
SE +/- 9757.48, N = 3
770377
Celeron N3350
SE +/- 8823.21, N = 3
1541846
Celeron N3350-2
SE +/- 7769.71, N = 3
1434434
Core i3 2100
SE +/- 25728.51, N = 3
3959009
Core i3 6100U
SE +/- 18445.82, N = 3
2925169
Core i3 7100U
SE +/- 27651.08, N = 3
3344542
Core i3 8130U
SE +/- 26164.81, N = 3
4388325
Core i5 10310U
SE +/- 52412.34, N = 3
8743650
Core i5 10500T
SE +/- 42103.16, N = 3
14705894
Core i5 2400
SE +/- 40216.53, N = 3
6307178
Core i5 2400S
SE +/- 28739.22, N = 3
5450590
Core i5 3470T
SE +/- 14426.76, N = 3
3793239
Core i5 3570K
SE +/- 27885.67, N = 3
6884646
Core i5 5300U
SE +/- 15382.06, N = 3
3395363
Core i5 6300U
SE +/- 37316.52, N = 3
4081240
Core i5 6300U - Yoga 260
SE +/- 42838.24, N = 3
3249789
Core i5 7500T
SE +/- 17604.74, N = 3
6897217
Core i5 7600K
SE +/- 6143.92, N = 3
9418962
Core i5 8250U
SE +/- 24212.11, N = 3
6937063
Core i5 8265U
SE +/- 69938.47, N = 3
7592269
Core i5 8400-2
SE +/- 61649.40, N = 3
12409825
Core i5 8500T
SE +/- 118670.12, N = 3
10748746
Core i7 4600



Zstd Compression 1.3.4
Compressing ubuntu-16.04.3-server-i386.img, Compression Level 19
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.81, N = 3
211.00
AMD A10-5800K
SE +/- 0.10, N = 3
180.00
AMD A10-7800
SE +/- 0.08, N = 3
211.00
AMD A10-7870K
SE +/- 0.16, N = 3
178.00
AMD A6-7400K
SE +/- 0.42, N = 3
212.00
AMD Athlon II X3 425
SE +/- 0.19, N = 3
385.00
AMD E-350
SE +/- 0.86, N = 3
728.00
AMD FX-8350
SE +/- 0.06, N = 3
145.00
AMD FX-8350-2
SE +/- 0.13, N = 3
198.66
AMD Phenom X3 8400
SE +/- 6.32, N = 3
1637.49
AMD Ryzen 7 5700U
SE +/- 0.69, N = 3
163.54
Acer CB 315 - A4 9120C
SE +/- 7.31, N = 9
633.96
Celeron N3350
SE +/- 0.99, N = 3
523.62
Celeron N3350-2
SE +/- 1.15, N = 3
570.78
Core i3 2100
SE +/- 0.32, N = 3
173.00
Core i3 6100U
SE +/- 0.13, N = 3
190.76
Core i3 7100U
SE +/- 0.33, N = 3
182.95
Core i3 8130U
SE +/- 0.10, N = 3
145.52
Core i5 10310U
SE +/- 0.08, N = 3
120.91
Core i5 10500T
SE +/- 0.46, N = 3
131.03
Core i5 2400
SE +/- 0.11, N = 3
148.40
Core i5 2400S
SE +/- 0.17, N = 3
143.00
Core i5 3470T
SE +/- 0.17, N = 3
140.00
Core i5 3570K
SE +/- 0.47, N = 3
143.03
Core i5 5300U
SE +/- 0.64, N = 3
161.88
Core i5 6300U
SE +/- 0.11, N = 3
154.83
Core i5 6300U - Yoga 260
SE +/- 0.37, N = 3
171.30
Core i5 7500T
SE +/- 0.39, N = 3
139.23
Core i5 7600K
SE +/- 0.12, N = 3
121.00
Core i5 8250U
SE +/- 0.08, N = 3
179.51
Core i5 8265U
SE +/- 0.40, N = 3
131.49
Core i5 8400-2
SE +/- 0.60, N = 3
126.46
Core i5 8500T
SE +/- 0.30, N = 3
124.00
Core i7 4600
162.93



m-queens 1.1
Time To Solve
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.05, N = 3
51.74
AMD A10-5800K
SE +/- 8.47, N = 6
528.21
AMD A10-7800
SE +/- 0.30, N = 3
367.68
AMD A10-7870K
SE +/- 0.09, N = 3
327.04
AMD A6-7400K
SE +/- 0.47, N = 3
658.36
AMD Athlon II X3 425
SE +/- 0.11, N = 3
514.07
AMD E-350
SE +/- 0.79, N = 3
1655.50
AMD FX-8350
SE +/- 0.08, N = 3
189.72
AMD FX-8350-2
SE +/- 0.05, N = 3
185.46
AMD Phenom X3 8400
SE +/- 2.69, N = 3
765.32
AMD Ryzen 7 5700U
SE +/- 1.58, N = 12
108.30
Acer CB 315 - A4 9120C
SE +/- 20.37, N = 6
2032.95
Celeron N3350
SE +/- 2.44, N = 3
1158.02
Celeron N3350-2
SE +/- 0.31, N = 3
1116.80
Core i3 2100
SE +/- 0.10, N = 3
529.10
Core i3 6100U
SE +/- 0.13, N = 3
675.53
Core i3 7100U
SE +/- 0.24, N = 3
651.99
Core i3 8130U
SE +/- 0.14, N = 3
458.96
Core i5 10310U
SE +/- 0.86, N = 3
223.33
Core i5 10500T
SE +/- 0.06, N = 3
137.23
Core i5 2400
SE +/- 0.48, N = 3
345.03
Core i5 2400S
SE +/- 0.42, N = 3
429.31
Core i5 3470T
SE +/- 0.10, N = 3
493.56
Core i5 3570K
SE +/- 0.24, N = 3
291.36
Core i5 5300U
SE +/- 0.08, N = 3
518.19
Core i5 6300U
SE +/- 0.07, N = 3
532.22
Core i5 6300U - Yoga 260
SE +/- 1.57, N = 3
657.81
Core i5 7500T
SE +/- 0.38, N = 3
337.52
Core i5 7600K
SE +/- 0.01, N = 3
232.32
Core i5 8250U
SE +/- 1.51, N = 3
282.24
Core i5 8265U
SE +/- 0.52, N = 3
257.14
Core i5 8400-2
SE +/- 0.26, N = 3
180.05
Core i5 8500T
SE +/- 0.15, N = 3
208.80
Core i7 4600
513.82



Tinymembench 2018-05-28
- Standard Memcpy
MB/s, More Is Better
2 x E5-2667v3
4355.0
AMD A10-5800K
5725.0
AMD A10-7800
5057.0
AMD A10-7870K
5801.0
AMD A6-7400K
4973.0
AMD Athlon II X3 425
4433.0
AMD E-350
2012.0
AMD FX-8350
5728.0
AMD FX-8350-2
5728.9
AMD Phenom X3 8400
1770.5
AMD Ryzen 7 5700U
7237.8
Acer CB 315 - A4 9120C
1949.0
Celeron N3350
5203.2
Celeron N3350-2
4207.5
Core i3 2100
7242.0
Core i3 6100U
5319.7
Core i3 7100U
7182.5
Core i3 8130U
9466.5
Core i5 10310U
14559.0
Core i5 10500T
8079.1
Core i5 2400
5516.2
Core i5 2400S
8976.0
Core i5 3470T
9133.0
Core i5 3570K
8708.0
Core i5 5300U
5659.7
Core i5 6300U
11942.7
Core i5 6300U - Yoga 260
6415.1
Core i5 7500T
13186.7
Core i5 7600K
7502.0
Core i5 8250U
9594.9
Core i5 8265U
13534.9
Core i5 8400-2
8478.8
Core i5 8500T
8074.0
Core i7 4600
5446.8



PolyBench-C 4.2
Test: 3 Matrix Multiplications
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.155, N = 3
19.303
AMD A10-5800K
SE +/- 0.043, N = 3
8.970
AMD A10-7800
SE +/- 0.011, N = 3
10.210
AMD A10-7870K
SE +/- 0.017, N = 3
8.990
AMD A6-7400K
SE +/- 0.030, N = 3
9.420
AMD Athlon II X3 425
SE +/- 0.059, N = 3
35.490
AMD E-350
SE +/- 0.005, N = 3
62.300
AMD FX-8350
SE +/- 0.086, N = 3
8.500
AMD FX-8350-2
SE +/- 0.287, N = 12
9.617
AMD Phenom X3 8400
SE +/- 2.778, N = 3
939.747
AMD Ryzen 7 5700U
SE +/- 0.026, N = 3
3.097
Acer CB 315 - A4 9120C
SE +/- 1.096, N = 3
116.163
Celeron N3350
SE +/- 0.058, N = 3
11.465
Celeron N3350-2
SE +/- 0.118, N = 3
33.401
Core i3 2100
SE +/- 0.005, N = 3
21.490
Core i3 6100U
SE +/- 0.060, N = 3
6.618
Core i3 7100U
SE +/- 0.015, N = 3
6.545
Core i3 8130U
SE +/- 0.008, N = 3
5.085
Core i5 10310U
SE +/- 0.045, N = 4
3.733
Core i5 10500T
SE +/- 0.038, N = 4
3.314
Core i5 2400
SE +/- 0.004, N = 3
19.759
Core i5 2400S
SE +/- 0.015, N = 3
20.200
Core i5 3470T
SE +/- 0.075, N = 3
13.330
Core i5 3570K
SE +/- 0.009, N = 3
17.738
Core i5 5300U
SE +/- 0.008, N = 3
7.337
Core i5 6300U
SE +/- 0.010, N = 3
5.205
Core i5 6300U - Yoga 260
SE +/- 0.052, N = 15
5.906
Core i5 7500T
SE +/- 0.059, N = 3
4.482
Core i5 7600K
SE +/- 0.054, N = 3
3.720
Core i5 8250U
SE +/- 0.063, N = 4
5.695
Core i5 8265U
SE +/- 0.016, N = 3
4.221
Core i5 8400-2
SE +/- 0.023, N = 3
3.957
Core i5 8500T
SE +/- 0.010, N = 3
3.770
Core i7 4600


PolyBench-C 4.2
Test: Correlation Computation
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.100, N = 3
29.969
AMD A10-5800K
SE +/- 0.005, N = 3
7.340
AMD A10-7800
SE +/- 0.004, N = 3
8.630
AMD A10-7870K
SE +/- 0.530, N = 6
8.230
AMD A6-7400K
SE +/- 0.016, N = 3
7.740
AMD Athlon II X3 425
SE +/- 0.016, N = 3
25.480
AMD E-350
SE +/- 0.471, N = 3
77.080
AMD FX-8350
SE +/- 0.596, N = 6
8.410
AMD FX-8350-2
SE +/- 0.388, N = 15
9.093
AMD Phenom X3 8400
SE +/- 0.553, N = 3
644.074
AMD Ryzen 7 5700U
SE +/- 0.016, N = 3
2.400
Acer CB 315 - A4 9120C
SE +/- 0.824, N = 4
69.349
Celeron N3350
SE +/- 0.137, N = 15
5.777
Celeron N3350-2
SE +/- 0.064, N = 3
20.067
Core i3 2100
SE +/- 0.016, N = 3
14.030
Core i3 6100U
SE +/- 0.018, N = 3
9.952
Core i3 7100U
SE +/- 0.009, N = 3
9.606
Core i3 8130U
SE +/- 0.008, N = 3
6.832
Core i5 10310U
SE +/- 0.003, N = 3
5.296
Core i5 10500T
SE +/- 0.024, N = 3
6.000
Core i5 2400
SE +/- 0.014, N = 3
12.915
Core i5 2400S
SE +/- 0.023, N = 3
13.200
Core i5 3470T
SE +/- 0.092, N = 12
3.350
Core i5 3570K
SE +/- 0.016, N = 3
11.310
Core i5 5300U
SE +/- 0.005, N = 3
5.058
Core i5 6300U
SE +/- 0.007, N = 3
7.712
Core i5 6300U - Yoga 260
SE +/- 0.009, N = 3
7.948
Core i5 7500T
SE +/- 0.016, N = 3
6.961
Core i5 7600K
SE +/- 0.002, N = 3
5.380
Core i5 8250U
SE +/- 0.016, N = 3
6.890
Core i5 8265U
SE +/- 0.010, N = 3
5.925
Core i5 8400-2
SE +/- 0.010, N = 3
5.760
Core i7 4600U
SE +/- 0.020, N = 3
12.903
Core i7 5600U
4.589


PolyBench-C 4.2
Test: Covariance Computation
Seconds, Fewer Is Better
2 x E5-2667v3
SE +/- 0.201, N = 3
29.598
AMD A10-5800K
SE +/- 0.003, N = 3
7.360
AMD A10-7800
SE +/- 0.006, N = 3
8.650
AMD A10-7870K
SE +/- 0.002, N = 3
7.700
AMD A6-7400K
SE +/- 0.103, N = 6
7.850
AMD Athlon II X3 425
SE +/- 0.009, N = 3
25.470
AMD E-350
SE +/- 0.180, N = 3
77.200
AMD FX-8350
SE +/- 0.404, N = 6
8.020
AMD FX-8350-2
SE +/- 0.335, N = 15
9.201
AMD Phenom X3 8400
SE +/- 0.864, N = 3
645.044
AMD Ryzen 7 5700U
SE +/- 0.006, N = 3
2.395
Acer CB 315 - A4 9120C
SE +/- 0.407, N = 3
68.123
Celeron N3350
SE +/- 0.127, N = 15
5.842
Celeron N3350-2
SE +/- 0.081, N = 3
20.155
Core i3 2100
SE +/- 0.014, N = 3
14.030
Core i3 6100U
SE +/- 0.007, N = 3
9.956
Core i3 7100U
SE +/- 0.010, N = 3
9.568
Core i3 8130U
SE +/- 0.003, N = 3
6.840
Core i5 10310U
SE +/- 0.004, N = 3
5.297
Core i5 10500T
SE +/- 0.008, N = 3
6.014
Core i5 2400
SE +/- 0.019, N = 3
12.871
Core i5 2400S
SE +/- 0.025, N = 3
13.180
Core i5 3470T
SE +/- 0.024, N = 3
3.620
Core i5 3570K
SE +/- 0.003, N = 3
11.285
Core i5 5300U
SE +/- 0.003, N = 3
4.988
Core i5 6300U
SE +/- 0.024, N = 3
7.709
Core i5 6300U - Yoga 260
SE +/- 0.015, N = 3
7.952
Core i5 7500T
SE +/- 0.007, N = 3
6.946
Core i5 7600K
SE +/- 0.003, N = 3
5.390
Core i5 8250U
SE +/- 0.012, N = 3
6.899
Core i5 8265U
SE +/- 0.001, N = 3
5.936
Core i5 8400-2
SE +/- 0.013, N = 3
5.761
Core i5 8500T
2.010
Core i7 4600
13.023


SciMark 2.0
Computational Test: Composite
Mflops, More Is Better
2 x E5-2667v3
SE +/- 0.57, N = 3
548.00
AMD A10-5800K
SE +/- 0.53, N = 3
815.00
AMD A10-7800
SE +/- 1.52, N = 3
741.00
AMD A10-7870K
SE +/- 0.85, N = 3
858.00
AMD A6-7400K
SE +/- 1.82, N = 3
739.00
AMD Athlon II X3 425
SE +/- 0.04, N = 3
573.00
AMD E-350
SE +/- 0.08, N = 3
321.00
AMD FX-8350
SE +/- 1.35, N = 3
1159.00
AMD FX-8350-2
SE +/- 0.51, N = 3
406.73
AMD Phenom X3 8400
SE +/- 0.30, N = 3
136.14
AMD Ryzen 7 5700U
SE +/- 1.90, N = 3
675.51
Acer CB 315 - A4 9120C
SE +/- 2.27, N = 3
160.04
Celeron N3350
SE +/- 0.03, N = 3
201.02
Celeron N3350-2
SE +/- 0.12, N = 3
200.83
Core i3 2100
SE +/- 4.86, N = 3
1065.00
Core i3 6100U
SE +/- 0.36, N = 3
338.57
Core i3 7100U
SE +/- 0.44, N = 3
353.91
Core i3 8130U
SE +/- 0.32, N = 3
493.03
Core i5 10310U
SE +/- 0.62, N = 3
638.58
Core i5 10500T
SE +/- 0.35, N = 3
577.94
Core i5 2400
SE +/- 0.08, N = 3
441.45
Core i5 2400S
SE +/- 2.02, N = 3
1398.00
Core i5 3470T
SE +/- 8.00, N = 3
1304.00
Core i5 3570K
SE +/- 0.14, N = 3
556.95
Core i5 5300U
SE +/- 0.74, N = 3
448.79
Core i5 6300U
SE +/- 0.91, N = 3
439.76
Core i5 6300U - Yoga 260
SE +/- 2.34, N = 3
411.98
Core i5 7500T
SE +/- 0.53, N = 3
493.76
Core i5 7600K
SE +/- 4.29, N = 3
2385.00
Core i5 8250U
SE +/- 0.50, N = 3
504.86
Core i5 8265U
SE +/- 0.27, N = 3
571.77
Core i5 8400-2
SE +/- 2.43, N = 3
594.31
Core i5 8500T
SE +/- 2.03, N = 3
1701.00
Core i7 4600
480.51


Tinymembench 2018-05-28
- Standard Memcpy - Standard Memset
MB/s, More Is Better
AMD A10-5800K
5373.50
AMD A10-7800
5491.10
AMD A10-7870K
6616.10
AMD A6-7400K
5579.10
AMD Athlon II X3 425
4451.00
AMD E-350
2041.10
AMD FX-8350
6611.80
Core i3 2100
7417.80
Core i5 2400S
9309.40
Core i5 7600K
17735.90
Core i7 5960X
16013.30
Core i7 7740X
38987.50
Core i7 870
7611.00
Core i7 990X
8006.00
Core i9 7900X
25659.80
Intel Core 2 Duo E8400
2780.60
Pentium G3258
18972.00
Ryzen Threadripper 1950X
12467.00
8K
16K
24K
32K
40K
1. (CC) gcc options: -O2 -O3 -march=native -lm


Tinymembench 2018-05-28
- Standard Memset
MB/s, More Is Better
2 x E5-2667v3
5865.0
AMD FX-8350-2
6580.4
AMD Phenom X3 8400
2384.6
AMD Ryzen 7 5700U
9907.0
Acer CB 315 - A4 9120C
2509.8
Celeron N3350
3391.6
Celeron N3350-2
4197.7
Core i3 6100U
11765.1
Core i3 7100U
16261.0
Core i3 8130U
21314.9
Core i5 10310U
34725.4
Core i5 10500T
18286.7
Core i5 2400
5563.1
Core i5 3470T
24866.0
Core i5 3570K
21718.5
Core i5 5300U
12357.3
Core i5 6300U
26904.9
Core i5 6300U - Yoga 260
11165.7
Core i5 7500T
27794.5
Core i5 8250U
22673.6
Core i5 8265U
32063.2
Core i5 8400-2
18465.6
Core i5 8500T
19216.0
Core i7 4600
11875.1
Core i7 5600U
11798.9
Core i7 6600U
24153.4
Core i7 7500U
15081.6
Core i7 8665U
28573.8
Core m3-7Y30
22711.6
Lenovo Duet Helio P60T
8849.2
LenovoM700Tiny
14481.6
Phenom II X6 1055T
3281.9
Ryzen 3 5300U 16GB
9255.8
Ryzen 3 5300U 8GB
5439.6

This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 05:46.