

www.phoronix-test-suite.com

prueba 5 Timed MAFFT Alignment

Benchmark Timed MAFFT Alignment

Test Systems:

Timed MAFFT

Processor: AMD Ryzen 5 5600G @ 4.46GHz (6 Cores / 12 Threads), Motherboard: MSI B450M PRO-VDH MAX (MS-7A38) v8.0 (B.D0 BIOS), Chipset: AMD Renoir Root Complex, Memory: 14336MB, Disk: 1000GB Seagate ST1000DM010-2EP1 + 500GB KINGSTON SNVS500G, Graphics: amdgpudrmfb, Audio: AMD Device 1637, Monitor: WXGA TV + S19E310, Network: Realtek RTL8111/8168/8411

OS: Ubuntu 20.04, Kernel: 5.15.0-46-generic (x86_64), Desktop: GNOME Shell 3.36.9, Display Driver: modesetting 1.20.13, OpenGL: 4.6 Mesa 21.2.6 (LLVM 12.0.0), Compiler: GCC 9.4.0, File-System: ext4, Screen Resolution: 3286x1080


Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin

prueba 5 Timed MAFFT Alignment

--enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: amd-pstate ondemand
Security Notes: usercopy/swapgs barriers and __user pointer sanitization + Retpolines IBPB: conditional IBRS_FW STIBP: always-on RSB filling Protection

	Timed MAFFT
Timed MAFFT Alignment - M.S.A - LSU RNA (sec)	30.40
Standard Deviation	42.2%

prueba 5 Timed MAFFT Alignment



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 05:49.