

www.phoronix-test-suite.com

211122

Intel Celeron N4000 testing with a ASUS E203MAH v1.0 (E203MAH.315 BIOS) and ASUS Intel UHD 600 3GB on Ubuntu 18.04 via the Phoronix Test Suite.

Test Systems:

ebizzy-run1

ebizzy-run2

ebizzy-run3


Processor: Intel Celeron N4000 @ 2.60GHz (2 Cores), Motherboard: ASUS E203MAH v1.0 (E203MAH.315 BIOS), Chipset: Intel Gemini Lake, Memory: 4096MB, Disk: 500GB TOSHIBA MQ01ABF0, Graphics: ASUS Intel UHD 600 3GB (650MHz), Audio: Realtek ALC256, Network: Intel Gemini Lake PCH CNVi WiFi

OS: Ubuntu 18.04, Kernel: 5.4.0-124-generic (x86_64), Desktop: GNOME Shell 3.28.4, Display Server: X Server 1.20.8, OpenGL: 4.6 Mesa 20.0.8, Compiler: GCC 7.5.0, File-System: ext4, Screen Resolution: 1366x768

211122


Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Disk Notes: MQ-DEADLINE / errors=remount-ro,relatime,rw / Block Size: 4096
Processor Notes: Scaling Governor: intel_pstate powersave - CPU Microcode: 0x32 - Thermald 1.7
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Mitigation of PTI + mmio_stale_data: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced IBRS IBPB: conditional RSB filling + srbds: Not affected + tsx_async_abort: Not affected

	ebizzy-run1	ebizzy-run2	ebizzy-run3
PyBench - T.F.A.T.T (Milliseconds)	2437		
Standard Deviation	0.3%		
Selenium - ARES-6 - Google Chrome (ms)	44.49		
Standard Deviation	0.7%		
Mlpack Benchmark - scikit_svm (sec)	31.64		
Standard Deviation	0.6%		
PHPBench - P.B.S (Score)	267622		
Standard Deviation	0.3%		
Sysbench - CPU (Events/sec)	2965		
Standard Deviation	1.9%		
MBW - Memory Copy - 128 MiB (MiB/s)	5004		
Standard Deviation	0.2%		
pmbench - 1 - 100% Writes (us - Page	0.0480		
Standard Deviation	1.6%		
perf-bench - Sched Pipe (ops/sec)	46203		
Standard Deviation	1.1%		
IOzone - 4Kb - 512MB - Read Performance (MB/s)	1187		
Standard Deviation	2.9%		
IOzone - 4Kb - 512MB - Write Performance (MB/s)	87.05		
Standard Deviation	1%		
Threaded I/O Tester - Read - 32MB - 4 (MB/s)	528.447		
Standard Deviation	39.5%		
Threaded I/O Tester - Write - 32MB - 4 (MB/s)	**0.113**		**0.088**
Normalized	100%		77.88%
Standard Deviation	1.8%		36.1%
Threaded I/O Tester - Rand Read - 32MB - 4 (MB/s)	517.434		
Standard Deviation	39.6%		


PyBench 2018-02-16
Total For Average Test Times
Milliseconds, Fewer Is Better
ebizzy-run1
SE +/- 3.84, N = 3
2437
500
1000
1500
2000
2500
Selenium
Benchmark: ARES-6 - Browser: Google Chrome
ms, Fewer Is Better
ebizzy-run1
SE +/- 0.19, N = 3
44.49
10
20
30
40
50
1. chrome 107.0.5304.110
Mlpack Benchmark
Benchmark: scikit_svm
Seconds, Fewer Is Better
ebizzy-run1
SE +/- 0.10, N = 3
31.64
7
14
21
28
35
PHPBench 0.8.1
PHP Benchmark Suite
Score, More Is Better
ebizzy-run1
SE +/- 403.21, N = 3
267622
60K
120K
180K
240K
300K
Sysbench 1.0.20
Test: CPU
Events Per Second, More Is Better
ebizzy-run1
SE +/- 33.00, N = 3
2965.40
600
1200
1800
2400
3000
1. (CC) gcc options: -pthread -O2 -funroll-loops -rdynamic -ldl -laio -lm

MBW 2018-09-08


Test: Memory Copy - Array Size: 128 MiB



1. (CC) gcc options: -O3 -march=native

pmbench


Concurrent Worker Threads: 1 - Read-Write Ratio: 100% Writes



1. (CC) gcc options: -lm -luuid -lxml2 -m64 -pthread

perf-bench


Benchmark: Sched Pipe



1. (CC) gcc options: -O6 -ggdb3 -funwind-tables -std=gnu99 -Xlinker -export-dynamic -lpthread -lrt -lm -ldl -lcrypto -lperl -lc -lcrypt -lpython2.7 -lutil -lz -l

IOzone 3.465


Record Size: 4Kb - File Size: 512MB - Disk Test: Read Performance




1. (CC) gcc options: -O3

IOzone 3.465

Record Size: 4Kb - File Size: 512MB - Disk Test: Write Performance



1. (CC) gcc options: -O3



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 18:52.