

www.phoronix-test-suite.com

kam

Running pts/aobench-1.0.1 via the Phoronix Test Suite.

Test Systems:

RAM Performance Test

PostMark Test

Dolfyn Test

FFTE Test

Webp Image Test

GraphicsMagick Test

Coremark Test

Processor: Unknown (2 Cores), Memory: 8192MB, Disk: 32GB SC32G, Monitor: DELL U2312HM

OS: Fedora 33, Kernel: 5.15.10+ (riscv64), Desktop: Xfce, Compiler: Clang 11.0.0, File-System: ext4, Screen Resolution: 1920x1080

Compiler Notes: --build=riscv64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-checking=release --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,fortran,objc,obj-c++,ada,go,d,lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-abi=lp64d --with-arch=rv64gc --with-gcc-major-version-only --with-isl --with-linker-hash-style=gnu --with-multilib-list=lp64d

AO Bench Test

Processor: Unknown (2 Cores), Memory: 8192MB, Disk: 32GB SC32G, Monitor: Acer K202HQLA


OS: Fedora 33, Kernel: 5.15.10+ (riscv64), Desktop: Xfce, Compiler: Clang 11.0.0, File-System: ext4, Screen Resolution: 1366x768

Compiler Notes: --build=riscv64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-checking=release --enable-gnu-unique-object --enable-initfini-array --enable-languages=c,c++,fortran,objc,obj-c++,ada,go,d,lto --enable-multilib --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-abi=lp64d --with-arch=rv64gc --with-gcc-major-version-only --with-isl --with-linker-hash-style=gnu --with-multilib-list=lp64d

	RAM Performance Test	PostMark Test	Dolfyn Test	FFTE Test	Webp Image Test	GraphicsMagick Test	Coremark Test	AO Bench Test
GraphicsMagick - Swirl (Iterations/min)						4		
Standard Deviation						0%		
GraphicsMagick - Rotate (Iterations/min)						21		
Standard Deviation						0%		
GraphicsMagick - Sharpen						4		
Standard Deviation						0%		
GraphicsMagick - Enhanced (Iterations/min)						2		
Standard Deviation						0%		
GraphicsMagick - Resizing						10		
Standard Deviation						0%		
GraphicsMagick - Noise-Gaussian (Iterations/min)						3		
Standard Deviation						12.9%		


kam

GraphicsMagick - HWB Color Space (Iterations/min)				12		
Standard Deviation				3.4%		
Coremark - CoreMark Size 666 - I.P.S (Iterations/Sec)					6151	
Standard Deviation					0.1%	
RAMspeed SMP - Copy - Integer (MB/s)	462.62					
Standard Deviation	0.1%					
FFTE - N.2.3.C.F.R (MFLOPS)			424.37			
Standard Deviation			0.4%			
WebP Image Encode - Default (MP/s)				**38.74**		
Normalized				97.61%		
Standard Deviation				0.3%		
WebP Image Encode - Quality 100 (MP/s)				**52.14**		
Normalized				97.11%		
Standard Deviation				1.1%		
WebP Image Encode - Q.1.L (MP/s)				**277.04**		
Normalized				96%		
Standard Deviation				1.2%		
WebP Image Encode - Q.1.H.C (MP/s)				**91.83**		
Normalized				99.92%		
Standard Deviation				3%		
WebP Image Encode - Q.1.L.H.C (MP/s)				**865.90**		
Normalized				99.45%		
Standard Deviation				1.5%		
PostMark - D.T.P (TPS)		216				
Standard Deviation		1.2%				
Dolfyn - C.F.D (sec)			740.55			
Standard Deviation			0.4%			
AOBench - 2048 x 2048 - Total Time (sec)						564.66
Standard Deviation						2%


GraphicsMagick 1.3.38
Operation: Swirl
Iterations Per Minute, More Is Better
GraphicsMagick Test
SE +/- 0.00, N = 3
4
0.9
1.8
2.7
3.6
4.5
1. (CC) gcc options: -fopenmp -O2 -pthread -lwebp -lwebpmux -ltiff -lfreetype -ljpeg -lXext -lSM -lICE -lX11 -llzma -lbz2 -lxml2 -lz -lzstd -lm -lpthread
GraphicsMagick 1.3.38
Operation: Rotate
Iterations Per Minute, More Is Better
GraphicsMagick Test
SE +/- 0.00, N = 3
21
5
10
15
20
25
1. (CC) gcc options: -fopenmp -O2 -pthread -lwebp -lwebpmux -ltiff -lfreetype -ljpeg -lXext -lSM -lICE -lX11 -llzma -lbz2 -lxml2 -lz -lzstd -lm -lpthread
GraphicsMagick 1.3.38
Operation: Sharpen
Iterations Per Minute, More Is Better
GraphicsMagick Test
SE +/- 0.00, N = 3
4
0.9
1.8
2.7
3.6
4.5
1. (CC) gcc options: -fopenmp -O2 -pthread -lwebp -lwebpmux -ltiff -lfreetype -ljpeg -lXext -lSM -lICE -lX11 -llzma -lbz2 -lxml2 -lz -lzstd -lm -lpthread
GraphicsMagick 1.3.38
Operation: Enhanced
Iterations Per Minute, More Is Better
GraphicsMagick Test
SE +/- 0.00, N = 3
2
0.45
0.9
1.35
1.8
2.25
1. (CC) gcc options: -fopenmp -O2 -pthread -lwebp -lwebpmux -ltiff -lfreetype -ljpeg -lXext -lSM -lICE -lX11 -llzma -lbz2 -lxml2 -lz -lzstd -lm -lpthread

GraphicsMagick 1.3.38


Operation: Resizing



1. (CC) gcc options: -fopenmp -O2 -pthread -lwebp -lwebpmux -ltiff -lfreetype -ljpeg -lXext -lSM -lICE -lX11 -llzma -lbz2 -lxml2 -lz -lzstd -lm -lpthread

GraphicsMagick 1.3.38


Operation: Noise-Gaussian



1. (CC) gcc options: -fopenmp -O2 -pthread -lwebp -lwebpmux -ltiff -lfreetype -ljpeg -lXext -lSM -lICE -lX11 -llzma -lbz2 -lxml2 -lz -lzstd -lm -lpthread

GraphicsMagick 1.3.38


Operation: HWB Color Space



1. (CC) gcc options: -fopenmp -O2 -pthread -lwebp -lwebpmux -ltiff -lfreetype -ljpeg -lXext -lSM -lICE -lX11 -llzma -lbz2 -lxml2 -lz -lzstd -lm -lpthread

Coremark 1.0


CoreMark Size 666 - Iterations Per Second



1. (CC) gcc options: -O2 -lrt" -lrt


RAMspeed SMP 3.5.0

Type: Copy - Benchmark: Integer



FFTE 7.0


N=256, 3D Complex FFT Routine



1. (F9X) gfortran options: -O3 -fomit-frame-pointer -fopenmp

WebP Image Encode 1.2.4


Encode Settings: Default



1. (CC) gcc options: -fvisibility=hidden -O2 -lm -pthread

WebP Image Encode 1.2.4


Encode Settings: Quality 100



1. (CC) gcc options: -fvisibility=hidden -O2 -lm -pthread

WebP Image Encode 1.2.4


Encode Settings: Quality 100, Lossless



1. (CC) gcc options: -fvisibility=hidden -O2 -lm -pthread


WebP Image Encode 1.2.4

Encode Settings: Quality 100, Highest Compression



1. (CC) gcc options: -fvisibility=hidden -O2 -lm -pthread

kam



This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 16:56.