



[www.phoronix-test-suite.com](http://www.phoronix-test-suite.com)

## CC23Assignment2

KVM testing on Ubuntu 20.04 via the Phoronix Test Suite.

### Test Systems:

#### t2\_micro

Processor: Intel Xeon E5-2686 v4 (1 Core), Motherboard: Xen HVM domU (4.11.amazon BIOS), Chipset: Intel 440FX 82441FX PMC, Memory: 1024MB, Disk: 8GB, Graphics: Cirrus Logic GD 5446

OS: Ubuntu 20.04, Kernel: 5.15.0-1028-aws (x86\_64), Vulkan: 1.1.182, Compiler: GCC 9.4.0, File-System: ext4, System Layer: Xen HVM domU 4.11.amazon

Kernel Notes: Transparent Huge Pages: madvise  
Compiler Notes: --build=x86\_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale-gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9.4.0/debian/tmp-nvptx/usr,hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86\_64-linux-gnu --program-prefix=x86\_64-linux-gnu- --target=x86\_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v  
Processor Notes: CPU Microcode: 0xb000040  
Security Notes: itlb\_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host

state unknown + meltdown: Mitigation of PTI + mmio\_stale\_data: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + rebleed: Not affected + spec\_store\_bypass: Vulnerable + spectre\_v1: Mitigation of usercopy/swaps barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Retpolines STIBP: disabled RSB filling PBRSB-eIBRS: Not affected + srbds: Not affected + tsx\_async\_abort: Not affected

## m3\_medium

Processor: Intel Xeon E5-2670 v2 (1 Core), Motherboard: Xen HVM domU (4.11.amazon BIOS), Chipset: Intel 440FX 82441FX PMC, Memory: 4096MB, Disk: 8GB, Graphics: Cirrus Logic GD 5446

OS: Ubuntu 20.04, Kernel: 5.15.0-1028-aws (x86\_64), Vulkan: 1.1.182, Compiler: GCC 9.4.0, File-System: ext4, System Layer: Xen HVM domU 4.11.amazon

Kernel Notes: Transparent Huge Pages: madvise  
Compiler Notes: --build=x86\_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr.hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86\_64-linux-gnu --program-prefix=x86\_64-linux-gnu- --target=x86\_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v  
Processor Notes: CPU Microcode: 0x42e  
Security Notes: itlb\_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + mmio\_stale\_data: Unknown: No mitigations + rebleed: Not affected + spec\_store\_bypass: Vulnerable + spectre\_v1: Mitigation of usercopy/swaps barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Retpolines STIBP: disabled RSB filling PBRSB-eIBRS: Not affected + srbds: Not affected + tsx\_async\_abort: Not affected

## c1\_medium

Processor: Intel Xeon E5-2651 v2 (2 Cores), Motherboard: Xen HVM domU (4.2.amazon BIOS), Chipset: Intel 440FX 82441FX PMC, Memory: 2048MB, Disk: 8GB, Graphics: Cirrus Logic GD 5446

OS: Ubuntu 20.04, Kernel: 5.15.0-1028-aws (x86\_64), Vulkan: 1.1.182, Compiler: GCC 9.4.0, File-System: ext4, System Layer: Xen HVM domU 4.2.amazon

Kernel Notes: Transparent Huge Pages: madvise  
Compiler Notes: --build=x86\_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr.hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86\_64-linux-gnu --program-prefix=x86\_64-linux-gnu- --target=x86\_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v  
Processor Notes: CPU Microcode: 0x42e  
Security Notes: itlb\_multihit: KVM: Mitigation of VMX unsupported + l1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + mmio\_stale\_data: Unknown: No mitigations + rebleed: Not affected + spec\_store\_bypass: Vulnerable + spectre\_v1: Mitigation of usercopy/swaps barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Retpolines STIBP: disabled RSB filling PBRSB-eIBRS: Not affected + srbds: Not affected + tsx\_async\_abort: Not affected

## t3a\_medium

Processor: AMD EPYC 7571 (1 Core / 2 Threads), Motherboard: Amazon EC2 t3a.medium (1.0 BIOS), Chipset: Intel 440FX 82441FX PMC, Memory: 4096MB, Disk: 9GB Amazon Elastic Block Store, Network: Amazon Elastic

OS: Ubuntu 20.04, Kernel: 5.15.0-1028-aws (x86\_64), Vulkan: 1.1.182, Compiler: GCC 9.4.0, File-System: ext4, System Layer: KVM

Kernel Notes: Transparent Huge Pages: madvise  
Compiler Notes: --build=x86\_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr.hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86\_64-linux-gnu --program-prefix=x86\_64-linux-gnu- --target=x86\_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v  
Processor Notes: CPU Microcode: 0x800126e  
Security Notes: itlb\_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + mmio\_stale\_data: Not affected + rebleed: Mitigation of untrained return thunk; SMT vulnerable + spec\_store\_bypass: Vulnerable + spectre\_v1: Mitigation of usercopy/swaps barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Retpolines STIBP: disabled RSB filling PBRSB-eIBRS: Not affected + srbds: Not affected + tsx\_async\_abort: Not affected

## m6a\_large

Processor: AMD EPYC 7R13 (1 Core / 2 Threads), Motherboard: Amazon EC2 m6a.large (1.0 BIOS), Chipset: Intel 440FX 82441FX PMC, Memory: 8GB, Disk: 9GB Amazon Elastic Block Store, Network: Amazon Elastic

OS: Ubuntu 20.04, Kernel: 5.15.0-1028-aws (x86\_64), Vulkan: 1.1.182, Compiler: GCC 9.4.0, File-System: ext4, System Layer: KVM

Kernel Notes: Transparent Huge Pages: madvise  
 Compiler Notes: --build=x86\_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr.hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86\_64-linux-gnu --program-prefix=x86\_64-linux-gnu- --target=x86\_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v  
 Processor Notes: CPU Microcode: 0xa001173

Security Notes: itlb\_multihit: Not affected + I1tf: Not affected + mds: Not affected + meltdown: Not affected + mmio\_stale\_data: Not affected + rebleed: Not affected + spec\_store\_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre\_v1: Mitigation of usercopy/swapgs barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Retpolines IBPB: conditional IBRS\_FW STIBP: conditional RSB filling PBRSB-eIBRS: Not affected + srbs: Not affected + tsx\_async\_abort: Not affected

### c6a\_large

Processor: AMD EPYC 7R13 (1 Core / 2 Threads), Motherboard: Amazon EC2 c6a.large (1.0 BIOS), Chipset: Intel 440FX 82441FX PMC, Memory: 4096MB, Disk: 9GB Amazon Elastic Block Store, Network: Amazon Elastic

OS: Ubuntu 20.04, Kernel: 5.15.0-1028-aws (x86\_64), Vulkan: 1.1.182, Compiler: GCC 9.4.0, File-System: ext4, System Layer: KVM

Kernel Notes: Transparent Huge Pages: madvise  
 Compiler Notes: --build=x86\_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr.hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86\_64-linux-gnu --program-prefix=x86\_64-linux-gnu- --target=x86\_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v  
 Processor Notes: CPU Microcode: 0xa001173

Security Notes: itlb\_multihit: Not affected + I1tf: Not affected + mds: Not affected + meltdown: Not affected + mmio\_stale\_data: Not affected + rebleed: Not affected + spec\_store\_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre\_v1: Mitigation of usercopy/swapgs barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Retpolines IBPB: conditional IBRS\_FW STIBP: conditional RSB filling PBRSB-eIBRS: Not affected + srbs: Not affected + tsx\_async\_abort: Not affected

### t3a\_large

Processor: AMD EPYC 7571 (1 Core / 2 Threads), Motherboard: Amazon EC2 t3a.large (1.0 BIOS), Chipset: Intel 440FX 82441FX PMC, Memory: 8GB, Disk: 9GB Amazon Elastic Block Store, Network: Amazon Elastic

OS: Ubuntu 20.04, Kernel: 5.15.0-1028-aws (x86\_64), Vulkan: 1.1.182, Compiler: GCC 9.4.0, File-System: ext4, System Layer: KVM

Kernel Notes: Transparent Huge Pages: madvise  
 Compiler Notes: --build=x86\_64-linux-gnu --disable-vtable-verify --disable-werror --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,gm2 --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-9-Av3uEd/gcc-9-9.4.0/debian/tmp-nvptx/usr.hsa --enable-plugin --enable-shared --enable-threads=posix --host=x86\_64-linux-gnu --program-prefix=x86\_64-linux-gnu- --target=x86\_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v  
 Processor Notes: CPU Microcode: 0x800126e


Security Notes: itlb\_multihit: Not affected + I1tf: Not affected + mds: Not affected + meltdown: Not affected + mmio\_stale\_data: Not affected + rebleed: Mitigation of untrained return thunk; SMT vulnerable + spec\_store\_bypass: Vulnerable + spectre\_v1: Mitigation of usercopy/swapgs barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Retpolines STIBP: disabled RSB filling PBRSB-eIBRS: Not affected + srbs: Not affected + tsx\_async\_abort: Not affected

t2_micro	m3_medium	c1_medium	t3a_medium	m6a_large	c6a_large	t3a_large
----------	-----------	-----------	------------	-----------	-----------	-----------

<b>OpenSSL - RSA4096</b>	122.6	<b>56.7</b>	137.5	133.4	<b>258.1</b>	238.6	136.1
	(sign/s)						
Normalized	47.5%	21.97%	53.27%	51.69%	100%	92.44%	52.73%
Standard Deviation	1.2%	0%	2.2%	6.4%	1.7%	0.3%	0.3%
<b>OpenSSL - RSA4096</b>	7984	<b>3661</b>	8981	8757	<b>16413</b>	15613	8834
	(verify/s)						
Normalized	48.65%	22.31%	54.72%	53.36%	100%	95.13%	53.83%
Standard Deviation	0.2%	0.4%	0.9%	2.5%	7.3%	0.8%	0.1%
<b>Stream - Add (MB/s)</b>	9984	<b>6474</b>	13795	16045	<b>30915</b>	24680	16422
Normalized	32.29%	20.94%	44.62%	51.9%	100%	79.83%	53.12%
Standard Deviation	2.3%	6.1%	0.5%	7.1%	0.1%	2.3%	6.7%
<b>LAME MP3 Encoding -</b>	13.607	<b>28.607</b>	23.721	14.025	<b>7.496</b>	8.435	13.747
	WAV To MP3 (sec)						
Normalized	55.09%	26.2%	31.6%	53.45%	100%	88.87%	54.53%
Standard Deviation	1.3%	0.3%	2.2%	1.8%	0.1%	13.4%	0.5%
<b>Apache Benchmark -</b>	4457	<b>1772</b>	2949	6252	<b>11989</b>	10659	6330
	S.W.P.S (Reqs/sec)						
Normalized	37.17%	14.78%	24.6%	52.15%	100%	88.91%	52.8%
Standard Deviation	1.2%	1%	1.9%	0.9%	0.8%	0.4%	0.9%
<b>Loopback TCP Network</b>	23.161	<b>42.881</b>	32.615	23.544	<b>14.082</b>	15.422	23.058
	Performance - T.T.T.1.V.L						
	(sec)						
Normalized	60.8%	32.84%	43.18%	59.81%	100%	91.31%	61.07%
Standard Deviation	1.4%	0.8%	3%	1.2%	2.3%	5.9%	0.7%
<b>John The Ripper -</b>	1047	<b>470</b>	1138	1450	<b>2058</b>	1876	1451
	Blowfish (Real C/S)						
Normalized	50.87%	22.84%	55.3%	70.46%	100%	91.16%	70.51%
Standard Deviation			1.7%			0.7%	0.1%

## OpenSSL 3.0


Algorithm: RSA4096



1. (CC) gcc options: -pthread -m64 -O3 -lcrypto -ldl

## OpenSSL 3.0


Algorithm: RSA4096



1. (CC) gcc options: -pthread -m64 -O3 -lcrypto -ldl

## Stream 2013-01-17


Type: Add



1. (CC) gcc options: -O3 -march=native -fopenmp

## LAME MP3 Encoding 3.100


WAV To MP3



1. (CC) gcc options: -O3 -ffast-math -funroll-loops -fschedule-insns2 -fbranch-count-reg -fforce-addr -pipe -lm

## Apache Benchmark 2.4.29


Static Web Page Serving



1. (CC) gcc options: -shared -fPIC -O2 -pthread


## Loopback TCP Network Performance

Time To Transfer 10GB Via Loopback




## John The Ripper 1.9.0-jumbo-1

Test: Blowfish




1. (CC) gcc options:


These geometric means are based upon test groupings / test suites for this result file.




Geometric mean based upon tests: pts/encode-mp3, pts/apache, pts/john-the-ripper and pts/openssl




Geometric mean based upon tests: pts/apache, pts/encode-mp3, pts/john-the-ripper, pts/openssl and pts/stream




Geometric mean based upon tests: pts/openssl and pts/john-the-ripper



Geometric mean based upon tests: pts/apache and pts/openssl



Geometric mean based upon tests: pts/apache and pts/openssl



Geometric mean based upon tests: pts/john-the-ripper, pts/openssl and pts/stream

*This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 09:20.*