

www.phoronix-test-suite.com

ds lkey

AMD Ryzen 7 PRO 6850U testing with a LENOVO 21CM0001US (R22ET51W 1.21 BIOS) and AMD Radeon 680M 1GB on Ubuntu 22.10 via the Phoronix Test Suite.

Automated Executive Summary

b had the most wins, coming in first place for 43% of the tests.

Based on the geometric mean of all complete results, the fastest (a) was 1.008x the speed of the slowest (c). b was 0.992x the speed of a and c was 1x the speed of b.

The results with the greatest spread from best to worst included:

KeyDB (Test: LPOP - Parallel Connections: 500) at 1.144x
KeyDB (Test: LPOP - Parallel Connections: 100) at 1.131x
KeyDB (Test: LPOP - Parallel Connections: 900) at 1.121x
KeyDB (Test: LPUSH - Parallel Connections: 100) at 1.096x
KeyDB (Test: LPOP - Parallel Connections: 50) at 1.085x
KeyDB (Test: LPUSH - Parallel Connections: 500) at 1.056x
KeyDB (Test: SET - Parallel Connections: 100) at 1.055x
KeyDB (Test: HMSET - Parallel Connections: 100) at 1.029x
KeyDB (Test: SADD - Parallel Connections: 100) at 1.016x

KeyDB (Test: SET - Parallel Connections: 500) at 1.016x.

Test Systems:

a

b

c

Processor: AMD Ryzen 7 PRO 6850U @ 4.77GHz (8 Cores / 16 Threads), Motherboard: LENOVO 21CM0001US (R22ET51W 1.21 BIOS), Chipset: AMD Device 14b5, Memory: 16GB, Disk: 512GB Micron MTFDKBA512TFK, Graphics: AMD Radeon 680M 1GB (2200/400MHz), Audio: AMD Rembrandt Radeon HD Audio, Network: Qualcomm QCNFA765

OS: Ubuntu 22.10, Kernel: 6.1.0-060100rc2daily20221028-generic (x86_64), Desktop: GNOME Shell 43.0, Display Server: X Server + Wayland, OpenGL: 4.6 Mesa 22.2.1 (LLVM 15.0.2 DRM 3.49), Vulkan: 1.3.224, Compiler: GCC 12.2.0, File-System: ext4, Screen Resolution: 1920x1200

Kernel Notes: Transparent Huge Pages: madvise
Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-cet --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-defaulted --enable-offload-targets=nvptx-none=/build/gcc-12-U8K4Qv/gcc-12-12.2.0/debian/tmp-nvptx/usr,amdgcn-amdhsa=/build/gcc-12-U8K4Qv/gcc-12-12.2.0/debian/tmp-gcn/usr --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v
Processor Notes: Scaling Governor: amd-pstate schedutil (Boost: Enabled) - Platform Profile: performance - CPU Microcode: 0xa404102 - ACPI Profile: performance
Python Notes: Python 3.10.7
Security Notes: itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + mmio_stale_data: Not affected + retbleed: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Retpolines IBPB: conditional IBRS_FW STIBP: always-on RSB filling PBRSB-eIBRS: Not affected + srbds: Not affected + tsx_async_abort: Not affected

	a	b	c
KeyDB - GET - 50 (Reqs/sec)	**400375**	397769	**396253**
Normalized	100%	99.35%	98.97%
KeyDB - SET - 50 (Reqs/sec)	**391239**	389463	**389290**
Normalized	100%	99.55%	99.5%
KeyDB - GET - 100 (Reqs/sec)	317398	**318068**	**315932**
Normalized	99.79%	100%	99.33%
KeyDB - GET - 500 (Reqs/sec)	312161	**310492**	**312735**
Normalized	99.82%	99.28%	100%
KeyDB - GET - 900 (Reqs/sec)	**308277**	**305945**	306020
Normalized	100%	99.24%	99.27%
KeyDB - LPOP - 50 (Reqs/sec)	**399629**	370255	**368172**
Normalized	100%	92.65%	92.13%

ds lkey

KeyDB - SADD - 50 (Reqs/sec)	395707	395848	396228
Normalized	99.87%	99.9%	100%
KeyDB - SET - 100 (Reqs/sec)	316036	323219	306421
Normalized	97.78%	100%	94.8%
KeyDB - SET - 500 (Reqs/sec)	302519	297642	300517
Normalized	100%	98.39%	99.34%
KeyDB - SET - 900 (Reqs/sec)	297451	294012	294822
Normalized	100%	98.84%	99.12%
KeyDB - HMSET - 50 (Reqs/sec)	301397	301688	299625
Normalized	99.9%	100%	99.32%
KeyDB - LPOP - 100 (Reqs/sec)	326757	288964	307918
Normalized	100%	88.43%	94.23%
KeyDB - LPOP - 500 (Reqs/sec)	319444	279348	281265
Normalized	100%	87.45%	88.05%
KeyDB - LPOP - 900 (Reqs/sec)	313710	279925	289251
Normalized	100%	89.23%	92.2%
KeyDB - LPUSH - 50 (Reqs/sec)	377803	378527	378092
Normalized	99.81%	100%	99.89%
KeyDB - SADD - 100 (Reqs/sec)	314193	319358	314828
Normalized	98.38%	100%	98.58%
KeyDB - SADD - 500 (Reqs/sec)	309906	311701	310928
Normalized	99.42%	100%	99.75%
KeyDB - SADD - 900 (Reqs/sec)	307443	304371	305295
Normalized	100%	99%	99.3%
KeyDB - HMSET - 100 (Reqs/sec)	220860	214635	219592
Normalized	100%	97.18%	99.43%
KeyDB - HMSET - 500 (Reqs/sec)	205130	204631	203269
Normalized	100%	99.76%	99.09%
KeyDB - HMSET - 900 (Reqs/sec)	201399	203707	202206
Normalized	98.87%	100%	99.26%
KeyDB - LPUSH - 100 (Reqs/sec)	318624	290676	299638
Normalized	100%	91.23%	94.04%
KeyDB - LPUSH - 500 (Reqs/sec)	277528	285523	270481
Normalized	97.2%	100%	94.73%
KeyDB - LPUSH - 900 (Reqs/sec)	270349	269025	267054
Normalized	100%	99.51%	98.78%
Neural Magic DeepSparse - N.D.C.o.b.u.o.l - A.M.S (items/sec)	5.1659	5.1708	5.1593
Normalized	99.91%	100%	99.78%
Neural Magic DeepSparse - N.D.C.o.b.u.o.l - A.M.S (ms/batch)	774.2867	773.5511	775.2753
Normalized	99.9%	100%	99.78%
Neural Magic DeepSparse - N.D.C.o.b.u.o.l - S.S.S (items/sec)	5.0356	5.0409	5.0291
Normalized	99.89%	100%	99.77%
Neural Magic DeepSparse - N.D.C.o.b.u.o.l - S.S.S (ms/batch)	198.5696	198.3615	198.8241
Normalized	99.9%	100%	99.77%
Neural Magic DeepSparse - N.S.A.8.P.Q.B.B.U - A.M.S (items/sec)	64.9385	64.8899	64.5712
Normalized	100%	99.93%	99.43%


ds lkey

Neural Magic DeepSparse - N.S.A.8.P.Q.B.B.U - A.M.S (ms/batch)	61.5757	61.6214	61.9249
Normalized	100%	99.93%	99.44%
Neural Magic DeepSparse - N.S.A.8.P.Q.B.B.U - S.S.S (items/sec)	51.437	51.8801	51.8537
Normalized	99.15%	100%	99.95%
Neural Magic DeepSparse - N.S.A.8.P.Q.B.B.U - S.S.S (ms/batch)	19.4233	19.2558	19.2663
Normalized	99.14%	100%	99.95%
Neural Magic DeepSparse - N.Q.A.B.b.u.S.1.P - A.M.S (items/sec)	20.0433	20.1989	20.2206
Normalized	99.12%	99.89%	100%
Neural Magic DeepSparse - N.Q.A.B.b.u.S.1.P - A.M.S (ms/batch)	199.16	197.8215	197.7918
Normalized	99.31%	99.98%	100%
Neural Magic DeepSparse - N.Q.A.B.b.u.S.1.P - S.S.S (items/sec)	18.1037	18.1337	18.1931
Normalized	99.51%	99.67%	100%
Neural Magic DeepSparse - N.Q.A.B.b.u.S.1.P - S.S.S (ms/batch)	55.2168	55.1247	54.9457
Normalized	99.51%	99.68%	100%
Neural Magic DeepSparse - C.D.Y.C - A.M.S (items/sec)	28.502	28.4848	28.4099
Normalized	100%	99.94%	99.68%
Neural Magic DeepSparse - C.D.Y.C - A.M.S (ms/batch)	140.2665	140.3583	140.7331
Normalized	100%	99.93%	99.67%
Neural Magic DeepSparse - C.D.Y.C - S.S.S (items/sec)	26.1404	26.1645	26.1412
Normalized	99.91%	100%	99.91%
Neural Magic DeepSparse - C.D.Y.C - S.S.S (ms/batch)	38.2318	38.1981	38.2315
Normalized	99.91%	100%	99.91%
Neural Magic DeepSparse - C.C.R.5.I - A.M.S (items/sec)	62.169	62.0323	62.3265
Normalized	99.75%	99.53%	100%
Neural Magic DeepSparse - C.C.R.5.I - A.M.S (ms/batch)	64.3196	64.4599	64.1565
Normalized	99.75%	99.53%	100%
Neural Magic DeepSparse - C.C.R.5.I - S.S.S (items/sec)	56.3184	56.3495	56.2898
Normalized	99.94%	100%	99.89%
Neural Magic DeepSparse - C.C.R.5.I - S.S.S (ms/batch)	17.7369	17.7286	17.7464
Normalized	99.95%	100%	99.9%
Neural Magic DeepSparse - N.T.C.D.m - A.M.S (items/sec)	45.5971	45.6629	45.7318
Normalized	99.71%	99.85%	100%
Neural Magic DeepSparse - N.T.C.D.m - A.M.S (ms/batch)	87.704	87.5767	87.446
Normalized	99.71%	99.85%	100%


ds lkey

Neural Magic DeepSparse - N.T.C.D.m - S.S.S (items/sec)	41.2481	**41.2819**	**41.1178**
Normalized	99.92%	100%	99.6%
Neural Magic DeepSparse - N.T.C.D.m - S.S.S (ms/batch)	24.228	**24.2071**	**24.3051**
Normalized	99.91%	100%	99.6%
Neural Magic DeepSparse - C.S.9.P.Y.P - A.M.S (items/sec)	**7.0942**	**7.1392**	7.1222
Normalized	99.37%	100%	99.76%
Neural Magic DeepSparse - C.S.9.P.Y.P - A.M.S (ms/batch)	**563.8116**	**560.2575**	561.5936
Normalized	99.37%	100%	99.76%
Neural Magic DeepSparse - C.S.9.P.Y.P - S.S.S (items/sec)	**7.0091**	7.0162	**7.017**
Normalized	99.89%	99.99%	100%
Neural Magic DeepSparse - C.S.9.P.Y.P - S.S.S (ms/batch)	**142.6454**	142.4995	**142.4844**
Normalized	99.89%	99.99%	100%
Neural Magic DeepSparse - N.T.C.B.b.u.S - A.M.S (items/sec)	**22.1905**	**22.2688**	22.1912
Normalized	99.65%	100%	99.65%
Neural Magic DeepSparse - N.T.C.B.b.u.S - A.M.S (ms/batch)	**180.2356**	**179.6011**	180.2307
Normalized	99.65%	100%	99.65%
Neural Magic DeepSparse - N.T.C.B.b.u.S - S.S.S (items/sec)	20.2841	**20.3081**	**20.2112**
Normalized	99.88%	100%	99.52%
Neural Magic DeepSparse - N.T.C.B.b.u.S - S.S.S (ms/batch)	49.2832	**49.2237**	**49.4602**
Normalized	99.88%	100%	99.52%
Neural Magic DeepSparse - N.T.C.B.b.u.c - A.M.S (items/sec)	**5.1498**	5.1574	**5.169**
Normalized	99.63%	99.78%	100%
Neural Magic DeepSparse - N.T.C.B.b.u.c - A.M.S (ms/batch)	**776.6661**	773.8573	**773.8149**
Normalized	99.63%	99.99%	100%
Neural Magic DeepSparse - N.T.C.B.b.u.c - S.S.S (items/sec)	**5.0161**	5.0184	**5.0327**
Normalized	99.67%	99.72%	100%
Neural Magic DeepSparse - N.T.C.B.b.u.c - S.S.S (ms/batch)	**199.3423**	199.2496	**198.6827**
Normalized	99.67%	99.72%	100%


ds lkey



KeyDB 6.3.2
Test: GET - Parallel Connections: 50
Requests Per Second, More Is Better
a
400374.75
b
397769.31
c
396253.03
90K
180K
270K
360K
450K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: SET - Parallel Connections: 50
Requests Per Second, More Is Better
a
391239.34
b
389462.69
c
389289.88
80K
160K
240K
320K
400K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: GET - Parallel Connections: 100
Requests Per Second, More Is Better
a
317397.84
b
318068.16
c
315931.81
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan

ds lkey



KeyDB 6.3.2
Test: GET - Parallel Connections: 500
Requests Per Second, More Is Better
a
b
c
312160.53
310491.50
312734.53
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: GET - Parallel Connections: 900
Requests Per Second, More Is Better
a
b
c
308276.59
305945.12
306020.03
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: LPOP - Parallel Connections: 50
Requests Per Second, More Is Better
a
b
c
399629.16
370255.16
368172.25
90K
180K
270K
360K
450K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan

ds lkey



KeyDB 6.3.2
Test: SADD - Parallel Connections: 50
Requests Per Second, More Is Better
a
b
c
395707.34
395848.34
396227.91
80K
160K
240K
320K
400K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: SET - Parallel Connections: 100
Requests Per Second, More Is Better
a
b
c
316035.62
323218.75
306421.38
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: SET - Parallel Connections: 500
Requests Per Second, More Is Better
a
b
c
302518.75
297642.09
300516.88
60K
120K
180K
240K
300K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan


KeyDB 6.3.2
Test: SET - Parallel Connections: 900
Requests Per Second, More Is Better
a
b
c
297450.84
294012.12
294821.75
60K
120K
180K
240K
300K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: HMSET - Parallel Connections: 50
Requests Per Second, More Is Better
a
b
c
301397.28
301688.25
299625.47
60K
120K
180K
240K
300K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: LPOP - Parallel Connections: 100
Requests Per Second, More Is Better
a
b
c
326756.81
288963.91
307917.81
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan


ds lkey


KeyDB 6.3.2
Test: LPOP - Parallel Connections: 500
Requests Per Second, More Is Better
a
319443.91
b
279348.31
c
281265.47
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: LPOP - Parallel Connections: 900
Requests Per Second, More Is Better
a
313709.75
b
279925.44
c
289251.41
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: LPUSH - Parallel Connections: 50
Requests Per Second, More Is Better
a
377803.31
b
378526.91
c
378091.84
80K
160K
240K
320K
400K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan


ds lkey


KeyDB 6.3.2
Test: SADD - Parallel Connections: 100
Requests Per Second, More Is Better
a
b
c
314192.72
319358.22
314827.75
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: SADD - Parallel Connections: 500
Requests Per Second, More Is Better
a
b
c
309906.47
311701.25
310927.88
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: SADD - Parallel Connections: 900
Requests Per Second, More Is Better
a
b
c
307442.56
304371.41
305295.03
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan


ds lkey


KeyDB 6.3.2
Test: HMSET - Parallel Connections: 100
Requests Per Second, More Is Better
a
220859.77
b
214634.66
c
219591.98
50K
100K
150K
200K
250K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: HMSET - Parallel Connections: 500
Requests Per Second, More Is Better
a
205129.89
b
204631.22
c
203269.38
40K
80K
120K
160K
200K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: HMSET - Parallel Connections: 900
Requests Per Second, More Is Better
a
201398.50
b
203707.48
c
202206.47
40K
80K
120K
160K
200K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan


ds lkey


KeyDB 6.3.2
Test: LPUSH - Parallel Connections: 100
Requests Per Second, More Is Better
a
318623.53
b
290675.72
c
299638.03
70K
140K
210K
280K
350K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: LPUSH - Parallel Connections: 500
Requests Per Second, More Is Better
a
277528.00
b
285523.38
c
270480.81
60K
120K
180K
240K
300K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan
KeyDB 6.3.2
Test: LPUSH - Parallel Connections: 900
Requests Per Second, More Is Better
a
270349.19
b
269025.47
c
267054.06
60K
120K
180K
240K
300K
1. (CXX) g++ options: -ggdb -rdynamic -lm -lz -lcrypto -lbz2 -lzstd -llz4 -lsnappy -latomic -ldl -pthread -lrt -luuid -lcurl -lsystemd -lssl -std=c++14 -pedan


ds lkey


Neural Magic DeepSparse 1.3.2
Model: NLP Document Classification, oBERT base uncased on IMDB - Scenario: Asynchronous Multi-Stream
items/sec, More Is Better
a
b
c
5.1659
5.1708
5.1593
1.1634
2.3268
3.4902
4.6536
5.817
Neural Magic DeepSparse 1.3.2
Model: NLP Document Classification, oBERT base uncased on IMDB - Scenario: Asynchronous Multi-Stream
ms/batch, Fewer Is Better
a
b
c
774.29
773.55
775.28
200
400
600
800
1000
Neural Magic DeepSparse 1.3.2
Model: NLP Document Classification, oBERT base uncased on IMDB - Scenario: Synchronous Single-Stream
items/sec, More Is Better
a
b
c
5.0356
5.0409
5.0291
1.1342
2.2684
3.4026
4.5368
5.671


ds lkey


Neural Magic DeepSparse 1.3.2
Model: NLP Document Classification, oBERT base uncased on IMDB - Scenario: Synchronous Single-Stream
ms/batch, Fewer Is Better
198.57
198.36
198.82
40
80
120
160
200
Neural Magic DeepSparse 1.3.2
Model: NLP Sentiment Analysis, 80% Pruned Quantized BERT Base Uncased - Scenario: Asynchronous Multi-Stream
items/sec, More Is Better
64.94
64.89
64.57
14
28
42
56
70
Neural Magic DeepSparse 1.3.2
Model: NLP Sentiment Analysis, 80% Pruned Quantized BERT Base Uncased - Scenario: Asynchronous Multi-Stream
ms/batch, Fewer Is Better
61.58
61.62
61.92
14
28
42
56
70


ds lkey


Neural Magic DeepSparse 1.3.2
Model: NLP Sentiment Analysis, 80% Pruned Quantized BERT Base Uncased - Scenario: Synchronous Single-Stream
items/sec, More Is Better
a
b
c
51.44
51.88
51.85
12
24
36
48
60
Neural Magic DeepSparse 1.3.2
Model: NLP Sentiment Analysis, 80% Pruned Quantized BERT Base Uncased - Scenario: Synchronous Single-Stream
ms/batch, Fewer Is Better
a
b
c
19.42
19.26
19.27
5
10
15
20
25
Neural Magic DeepSparse 1.3.2
Model: NLP Question Answering, BERT base uncased SQuaD 12layer Pruned90 - Scenario: Asynchronous Multi-Stream
items/sec, More Is Better
a
b
c
20.04
20.20
20.22
5
10
15
20
25


ds lkey


Neural Magic DeepSparse 1.3.2
Model: NLP Question Answering, BERT base uncased SQuaD 12layer Pruned90 - Scenario: Asynchronous Multi-Stream
ms/batch, Fewer Is Better
a
b
c
199.16
197.82
197.79
40
80
120
160
200
Neural Magic DeepSparse 1.3.2
Model: NLP Question Answering, BERT base uncased SQuaD 12layer Pruned90 - Scenario: Synchronous Single-Stream
items/sec, More Is Better
a
b
c
18.10
18.13
18.19
4
8
12
16
20
Neural Magic DeepSparse 1.3.2
Model: NLP Question Answering, BERT base uncased SQuaD 12layer Pruned90 - Scenario: Synchronous Single-Stream
ms/batch, Fewer Is Better
a
b
c
55.22
55.12
54.95
12
24
36
48
60


ds lkey


Neural Magic DeepSparse 1.3.2
Model: CV Detection, YOLOv5s COCO - Scenario: Asynchronous Multi-Stream
items/sec, More Is Better
a
b
c
28.50
28.48
28.41
7
14
21
28
35
Neural Magic DeepSparse 1.3.2
Model: CV Detection, YOLOv5s COCO - Scenario: Asynchronous Multi-Stream
ms/batch, Fewer Is Better
a
b
c
140.27
140.36
140.73
30
60
90
120
150
Neural Magic DeepSparse 1.3.2
Model: CV Detection, YOLOv5s COCO - Scenario: Synchronous Single-Stream
items/sec, More Is Better
a
b
c
26.14
26.16
26.14
6
12
18
24
30


ds lkey



Neural Magic DeepSparse 1.3.2
Model: CV Detection, YOLOv5s COCO - Scenario: Synchronous Single-Stream
ms/batch, Fewer Is Better
a
b
c
38.23
38.20
38.23
9
18
27
36
45
Neural Magic DeepSparse 1.3.2
Model: CV Classification, ResNet-50 ImageNet - Scenario: Asynchronous Multi-Stream
items/sec, More Is Better
a
b
c
62.17
62.03
62.33
14
28
42
56
70
Neural Magic DeepSparse 1.3.2
Model: CV Classification, ResNet-50 ImageNet - Scenario: Asynchronous Multi-Stream
ms/batch, Fewer Is Better
a
b
c
64.32
64.46
64.16
14
28
42
56
70

ds lkey



Neural Magic DeepSparse 1.3.2
Model: CV Classification, ResNet-50 ImageNet - Scenario: Synchronous Single-Stream
items/sec, More Is Better
a
b
c
56.32
56.35
56.29
13
26
39
52
65
Neural Magic DeepSparse 1.3.2
Model: CV Classification, ResNet-50 ImageNet - Scenario: Synchronous Single-Stream
ms/batch, Fewer Is Better
a
b
c
17.74
17.73
17.75
4
8
12
16
20
Neural Magic DeepSparse 1.3.2
Model: NLP Text Classification, DistilBERT mnli - Scenario: Asynchronous Multi-Stream
items/sec, More Is Better
a
b
c
45.60
45.66
45.73
10
20
30
40
50

ds lkey



Neural Magic DeepSparse 1.3.2
Model: NLP Text Classification, DistilBERT mnli - Scenario: Asynchronous Multi-Stream
ms/batch, Fewer Is Better
a
b
c
87.70
87.58
87.45
20
40
60
80
100
Neural Magic DeepSparse 1.3.2
Model: NLP Text Classification, DistilBERT mnli - Scenario: Synchronous Single-Stream
items/sec, More Is Better
a
b
c
41.25
41.28
41.12
9
18
27
36
45
Neural Magic DeepSparse 1.3.2
Model: NLP Text Classification, DistilBERT mnli - Scenario: Synchronous Single-Stream
ms/batch, Fewer Is Better
a
b
c
24.23
24.21
24.31
6
12
18
24
30



Neural Magic DeepSparse 1.3.2
Model: CV Segmentation, 90% Pruned YOLACT Pruned - Scenario: Asynchronous Multi-Stream
items/sec, More Is Better
a
b
c
7.0942
7.1392
7.1222
2
4
6
8
10
Neural Magic DeepSparse 1.3.2
Model: CV Segmentation, 90% Pruned YOLACT Pruned - Scenario: Asynchronous Multi-Stream
ms/batch, Fewer Is Better
a
b
c
563.81
560.26
561.59
120
240
360
480
600
Neural Magic DeepSparse 1.3.2
Model: CV Segmentation, 90% Pruned YOLACT Pruned - Scenario: Synchronous Single-Stream
items/sec, More Is Better
a
b
c
7.0091
7.0162
7.0170
2
4
6
8
10

ds lkey


Neural Magic DeepSparse 1.3.2
Model: CV Segmentation, 90% Pruned YOLACT Pruned - Scenario: Synchronous Single-Stream
ms/batch, Fewer Is Better
a
b
c
142.65
142.50
142.48
30
60
90
120
150
Neural Magic DeepSparse 1.3.2
Model: NLP Text Classification, BERT base uncased SST2 - Scenario: Asynchronous Multi-Stream
items/sec, More Is Better
a
b
c
22.19
22.27
22.19
5
10
15
20
25
Neural Magic DeepSparse 1.3.2
Model: NLP Text Classification, BERT base uncased SST2 - Scenario: Asynchronous Multi-Stream
ms/batch, Fewer Is Better
a
b
c
180.24
179.60
180.23
40
80
120
160
200

ds lkey


Neural Magic DeepSparse 1.3.2
Model: NLP Text Classification, BERT base uncased SST2 - Scenario: Synchronous Single-Stream
items/sec, More Is Better
a
b
c
20.28
20.31
20.21
5
10
15
20
25
Neural Magic DeepSparse 1.3.2
Model: NLP Text Classification, BERT base uncased SST2 - Scenario: Synchronous Single-Stream
ms/batch, Fewer Is Better
a
b
c
49.28
49.22
49.46
11
22
33
44
55
Neural Magic DeepSparse 1.3.2
Model: NLP Token Classification, BERT base uncased conll2003 - Scenario: Asynchronous Multi-Stream
items/sec, More Is Better
a
b
c
5.1498
5.1574
5.1690
1.163
2.326
3.489
4.652
5.815



This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 29 March 2024 02:19.