



[www.phoronix-test-suite.com](http://www.phoronix-test-suite.com)

## CC23Assignment2

Xen HVM domU 4.11.amazon testing on Ubuntu 22.04 via the Phoronix Test Suite.

### Automated Executive Summary

*t2.small had the most wins, coming in first place for 71% of the tests.*

*Based on the geometric mean of all complete results, the fastest (t2.micro) was 1.059x the speed of the slowest (t2.small).*

### Test Systems:

#### t2.micro

Processor: Intel Xeon E5-2676 v3 (1 Core), Motherboard: Xen HVM domU (4.11.amazon BIOS), Chipset: Intel 440FX 82441FX PMC, Memory: 1024MB, Disk: 8GB, Graphics: Cirrus Logic GD 5446

OS: Ubuntu 22.04, Kernel: 5.15.0-1028-aws (x86\_64), Compiler: GCC 11.3.0, File-System: ext4, System Layer: Xen

## HVM domU 4.11.amazon

Kernel Notes: Transparent Huge Pages: madvise  
 Compiler Notes: --build=x86\_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-cet --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-link-serialization=2 --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-11-xKiWfi/gcc-11-11.3.0/debian/tmp-nvptx/usr,amdgn-amdhsa=/build/gcc-11-xKiWfi/gcc-11-11.3.0/debian/tmp-gcn/usr --enable-plugin --enable-shared --enable-threads=posix --host=x86\_64-linux-gnu --program-prefix=x86\_64-linux-gnu- --target=x86\_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-build-config=bootstrap-lto-lean --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v

Processor Notes: CPU Microcode: 0x49

Security Notes: itlb\_multihit: KVM: Mitigation of VMX unsupported + I1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + mmio\_stale\_data: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + rebleed: Not affected + spec\_store\_bypass: Vulnerable + spectre\_v1: Mitigation of usercopy/swaps barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Retpolines STIBP: disabled RSB filling PBRSB-eIBRS: Not affected + srbds: Not affected + tsx\_async\_abort: Not affected

## t2.small

Processor: Intel Xeon E5-2686 v4 (1 Core), Motherboard: Xen HVM domU (4.11.amazon BIOS), Chipset: Intel 440FX 82441FX PMC, Memory: 2048MB, Disk: 8GB, Graphics: Cirrus Logic GD 5446

OS: Ubuntu 22.04, Kernel: 5.15.0-1028-aws (x86\_64), Compiler: GCC 11.3.0, File-System: ext4, System Layer: Xen HVM domU 4.11.amazon

Kernel Notes: Transparent Huge Pages: madvise  
 Compiler Notes: --build=x86\_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-cet --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++,m2 --enable-libphobos-checking=release --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-link-serialization=2 --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none=/build/gcc-11-xKiWfi/gcc-11-11.3.0/debian/tmp-nvptx/usr,amdgn-amdhsa=/build/gcc-11-xKiWfi/gcc-11-11.3.0/debian/tmp-gcn/usr --enable-plugin --enable-shared --enable-threads=posix --host=x86\_64-linux-gnu --program-prefix=x86\_64-linux-gnu- --target=x86\_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-build-config=bootstrap-lto-lean --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib=auto --with-tune=generic --without-cuda-driver -v

Processor Notes: CPU Microcode: 0xb000040

Security Notes: itlb\_multihit: KVM: Mitigation of VMX unsupported + I1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + mmio\_stale\_data: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + rebleed: Not affected + spec\_store\_bypass: Vulnerable + spectre\_v1: Mitigation of usercopy/swaps barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Retpolines STIBP: disabled RSB filling PBRSB-eIBRS: Not affected + srbds: Not affected + tsx\_async\_abort: Not affected


	t2.micro	t2.small
<b>Stream - Add (MB/s)</b>	<b>12457</b>	<b>13531</b>
Normalized	92.06%	100%
Standard Deviation	1.4%	7.2%
<b>Loopback TCP Network Performance - T.T.T.1.V.L</b>	<b>21.709</b>	<b>21.968</b>
Normalized	100%	98.82%
Standard Deviation	0.7%	0.3%
<b>John The Ripper - Blowfish (Real C/S)</b>	<b>719</b>	<b>771</b>
Normalized	93.26%	100%
Standard Deviation	0.4%	0.4%
<b>LAME MP3 Encoding - WAV To MP3 (sec)</b>	<b>14.647</b>	<b>14.029</b>
Normalized	95.78%	100%
Standard Deviation	0.1%	0.6%
<b>OpenSSL - RSA4096 (sign/s)</b>	<b>119.5</b>	<b>123.7</b>
Normalized	96.6%	100%
Standard Deviation	1.1%	0.1%
<b>OpenSSL - RSA4096 (verify/s)</b>	<b>7900</b>	<b>7922</b>
Normalized	99.73%	100%
Standard Deviation	0.5%	0.7%

---

Apache Benchmark - S.W.P.S (Reqs/sec)	4477	2401
Normalized	100%	53.64%
Standard Deviation	1.3%	64%

## Stream 2009-04-11


Type: Add



1. (CC) gcc options: -O2 -fopenmp


## Loopback TCP Network Performance

Time To Transfer 10GB Via Loopback



## John The Ripper 1.8.0


Test: Blowfish



1. (CC) gcc options: -fopenmp -lcrypt

## LAME MP3 Encoding 3.100


WAV To MP3



1. (CC) gcc options: -O3 -ffast-math -funroll-loops -fschedule-insns2 -fbranch-count-reg -fforce-addr -pipe -lm

## OpenSSL 3.0


Algorithm: RSA4096



1. (CC) gcc options: -pthread -m64 -O3 -lcrypto -ldl

## OpenSSL 3.0


Algorithm: RSA4096



1. (CC) gcc options: -pthread -m64 -O3 -lcrypto -ldl


## Apache Benchmark 2.4.29

Static Web Page Serving




1. (CC) gcc options: -shared -fPIC -O2


These geometric means are based upon test groupings / test suites for this result file.



Geometric mean based upon tests: pts/encode-mp3, pts/apache, pts/john-the-ripper and pts/openssl




Geometric mean based upon tests: pts/apache, pts/encode-mp3, pts/john-the-ripper, pts/openssl and pts/stream



Geometric mean based upon tests: pts/openssl and pts/john-the-ripper

## Geometric Mean Of Common Kernel Benchmarks Tests


Result Composite - CC23Assignment2



Geometric mean based upon tests: pts/apache and pts/openssl

## Geometric Mean Of Server Tests


Result Composite - CC23Assignment2



Geometric mean based upon tests: pts/apache and pts/openssl

## Geometric Mean Of Server CPU Tests

Result Composite - CC23Assignment2



Geometric mean based upon tests: pts/john-the-ripper, pts/openssl and pts/stream

*This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 28 March 2024 16:34.*